

**Product Datasheet model 9906 006 pheos SLB 1 magnetic****UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth****Product characteristics**

- PC visor with uvex supravision excellence coating technology
- Marking 3 (drops and splashes of liquid) and 9 (molten material and hot solids)
- Magnetic side arms
- Compatible with uvex pheos safety helmet E-S-WR,
- Visor against the effects of electrical arcs class 1 (4kA), certified by GS-ET 29

|                                      |                                    |
|--------------------------------------|------------------------------------|
| <b>Technical details</b>             |                                    |
| <b>Frame</b>                         |                                    |
| Material                             | <b>Side arms</b>                   |
| Colour                               | PE                                 |
|                                      | black                              |
|                                      | <b>Marking</b>                     |
|                                      | W                                  |
| Manufacturer's ID code               | 166                                |
| Applicable EN                        | 3 (drops and splashes of liquid)   |
| Field of use                         | 8-2                                |
| GS-ET-29                             | 9 (molten material and hot solids) |
| Field of use                         | B (120 m/s)                        |
| Impact                               | CE                                 |
| Conformity symbol                    | 0196                               |
| Notified body                        |                                    |
| <b>Lens</b>                          |                                    |
|                                      | PC                                 |
| Material                             | 2,2 mm                             |
| Thickness                            | uvex supravision excellence        |
| Coating                              | clear                              |
| Colour                               |                                    |
|                                      | <b>Marking</b>                     |
| Filter                               | 2C-1,2 (DIN EN 170)                |
| Manufacturer's ID code               | W                                  |
| Optical class                        | 1                                  |
| Impact                               | B (120 m/s)                        |
| GS-ET-29                             | 8-1-0                              |
| Field of use                         | 9 (molten material and hot solids) |
| Surface resistance to fine particles | K                                  |
| Antifog                              | N                                  |
| Conformity symbol                    | CE                                 |
| Notified body                        | 0196                               |

**Miscellaneous**

Weight  
Packing  
Standards

176g  
20 visors per cardboard box  
DIN EN 166 + DIN EN 170