

Product Datasheet model 9906 003 pheos magnetic**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth****Product characteristics**

- PC visor with uvex supravision excellence coating technology
- Magnetic side arms
- Marking 3 (drops and splashes of liquid) and 9 (molten material and hot solids)
- Compatible with uvex pheos safety helmet E-S-WR, B-S-WR and pheos alpine (for combination with pheos alpine, adapter 9790.067 is needed)
- Compatible with earmuffs uvex pheos K2H magnet (2600.205)

Technical details	
Frame	Side arms
Material	PE
Colour	black
	Marking
Manufacturer's ID code	W
Applicable EN	166
Field of use	3 (drops and splashes of liquid)
GS-ET-29	8-2
Field of use	9 (molten material and hot solids)
Impact	B (120 m/s)
Conformity symbol	CE
Notified body	0196
Lens	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision excellence
Colour	clear
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous

Weight

176g

Packing

20 visors per cardboard box

Standards

DIN EN 166 + DIN EN 170