

Product Datasheet model uvex sportstyle 9193 880



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

1. Product Characteristics

- sporty, lightweight safety spectacle with a contoured lens that will fit narrow and wider faces equally well
- the combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 100 % protection against dangerous UVA and UVB radiation up to 400 nm

2. Technical Details Body		
Front piece		
Material	PC-PBT/TPE	
Features	soft, adjustable nose pad	
Colour	black, anthracite	

Rivet		
Material	brass, nickel-plated	
Side arms		
Material	PC-PBT/TPE	
Colour	black, anthracite	
Marking		
Manufacturer's ID code	W	
Applicable EN norm	166	
Impact resistance	F (45 m/s)	
Resistance to high speed particles at extremes of temperature	Т	
Conformity symbol	CE	

3. Technical Details Lens		
Material	PC	
Thickness	2.1 mm at PD	
Coating	uvex supravision variomatic	
Colour	light green	
Features tint	automatically darkens within 10 sec. lightens within 30 sec.	
UV protection	UV400	
Marking		
Filter	2-1.2 (EN 170)	
Manufacturer's ID code	W	
Optical class	1	
Impact resistance	F (45 m/s)	
Resistance to high speed particles at extremes of temperature	Т	
Scratch resistance	К	
Antifog	Ν	
Conformity symbol	CE	
Factory symbol	<u>eal</u>	

4. Logistical Information				
Product				
Weight	23g			
Dimensions (L x W x B) in approx. mm	Länge // Length Tiefe // Dopth picture only for reference			
	160 x 149 x 45			
	Packing unit 1	Packing unit 2		
EAN Code	4031101668307			
Quantity in pcs.	1	42		
Dimensions (L x W x H) in approx. mm	Heite II Width	Breie House		
	70 x 175 x 140	600 x 400 x 300		
Net weight in approx. g	23	966		
Gross weight in approx. g	93	4.580		
Country of Origin	Germany			

5. Miscellaneous		
Standards	EN 166 + EN 170	
PPE Category	Category II	