

EVO[®] 5 SAFETY HELMET AND HARNESS FOR POWERCAP[®] INFINITY[®]

HELMET PRODUCT CODE: AKG179-PO_- _00 HARNESS PRODUCT CODE: CEU190-000-000
SUPER STRONG ABS SHELL WITH TEXTILE HARNESS WITH REVOLUTION[®] WHEEL RATCHET
FOR USE WITH JSP'S POWERCAP[®] INFINITY[®]

TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION

GENERAL INSTRUCTIONS FOR USE

- Fit the helmet on the head and fasten strap to ensure a secure fit
- For adequate protection the helmet must be worn with peak facing forward
- Ensure the helmet is adjusted to the size of the user's head



REFLECTIVE

CR2 Reflective Material on EVO[®]5 offer class 2 reflectivity

GENERAL LIMITATIONS OF USE

- Respiratory Protection will only be offered if incorporated with the PowerCap[®] Infinity[®] correctly and fitted correctly
- Head Protection will only be offered if the helmet is fitted correctly
- Any helmet subjected to severe impact should be replaced immediately. Do not apply paint, solvents or adhesive labels except in accordance with instructions from the manufacturer
- The harness, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the helmet and seek medical advice
- The attention of users is also drawn to the dangers of modifying or removing any of the original component parts, other than as recommended by the manufacturer

GENERAL CLEANING & MAINTENANCE

- The helmets may be cleaned with soap and warm water and dried with a soft cloth
- The helmets should not be cleaned with chemical or abrasive cleaners
- The helmets should be stored out of direct sunlight
- The helmets should be stored away from chemicals and extremes of temperature

DIMENSIONS OF HELMET

- Size: 530 - 640mm
- Weight: 370g (Approx.)

COLOURS

The EVO[®]5 helmets are available in 3 different colours: black, white and blue.



11 Black 01 White 05 Blue

MATERIALS

- Shell: ABS (Acrylonitrile Butadiene Styrene)
- Harness: HDPE (High Density Polyethylene) Strap & Webbing Clips with Polyester Webbing Straps

CONFORMITY & PERFORMANCE

- When fitted with the PowerCap[®] Infinity[®] the device meets the requirements of EN 12941+A2:2008 TH3 as a respiratory protective device
- Helmet conforms to EN 397 for Industrial Safety Helmets
- Helmet conforms to EN 50365 for Helmets for use in low voltage installations
- Helmet holds EC Certificate Number 0279, issued by BSi Product Certification
- Helmet meets optional Lateral Deformation performance
- Helmet meets optional Molten Metal Splash performance
- Helmet offers wide size range suitable for all head shapes



MANUFACTURING FOR SAFETY
WWW.JSP.CO.UK

UKSALES@JSP.CO.UK
TEL: +44 (0)1993 826050



Issued 25/05/18, V1

EVO[®] 5 SAFETY HELMET AND HARNESS FOR POWERCAP[®] INFINITY[®]

HELMET PRODUCT CODE: AKG179-P0-_00 HARNESS PRODUCT CODE: CEU190-000-000
SUPER STRONG ABS SHELL WITH TEXTILE HARNESS WITH REVOLUTION[®] WHEEL RATCHET
FOR USE WITH JSP'S POWERCAP[®] INFINITY[®]


TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION

DIMENSIONS OF HELMET OUTER PACKAGING


Quantity: 1

Weight: TBDkg (Approx)



STANDARDS	EN397	✓
	EN50365	✓
	ANSI Z89 Type 1	✓
	CSA Z94	✓
	AS/NZS 1801-1997	✓
	GB2811-2007	✓
TESTING & PERFORMANCE	Impact Resistance	✓ 50 Joules
	Lateral Deformation	✓
	Electrical Insulation	✓
	MM-Molten Metal	✓
	+50°C -40°C	✓

TEXTILE HARNESS



Replacement harness for EVO[®]5 Safety Helmet is also available with product code CEU190-000-000

TEXTILE HARNESS

A 6 point Terylene cradle harness system & Egyptian cotton Chamlon[™] sweatband offers unrivalled comfort. 3D adjustment offers 1-2-3 point harness depth settings for a perfect fit.

CHAMLON[™] SWEATBAND

Egyptian cotton core with porous PU coating for maximum sweat absorption. pH neutral, dermatologically tested


FITTING ADJUSTMENT

The Revolution[™] wheel ratchet has deep nape strap that enables the firmest retention of any helmet, with an simple turn fastening system.

DIMENSIONS OF HARNESS OUTER PACKAGING

Quantity: 1

Weight: TBDkg (Approx)



MANUFACTURING FOR SAFETY
WWW.JSP.CO.UK

UKSALES@JSP.CO.UK
TEL: +44 (0)1993 826050



Issued 25/05/18, V1