MERCURO

100% OUTDOOR

Stylish safety glasses with a wrap-around design, PVC nose bridge and bi-material temples for added comfort. Mercuro's bold styling coupled with Platinum[®] anti-scratch/anti-fog coating provides maximum protection and performance that exceeds expectations.



- **+** NEW FLASH POLARISED VERSION REPELS HEAT AND WATER
- **+** ULTRA-WRAPAROUND FRAME // LARGE FIELD OF VISION
- **+** NO METAL PARTS
- **+** PC/TPR CO-INJECTED TEMPLES FOR GREATER COMFORT
- + + COATING EXCEPT FOR POLARISED VERSION
- **+ NON-SLIP NOSE BRIDGE**



MERGURO

100% OUTDOOR

MODEL	VERSIONS	REFERENCES LENS MARKING		FRAME MARKING	COATINGS	
MERCURO	Smoke	MERPSF	₩ 13	AS/NZS 1337.1:2010	Anti-scratch/Anti-fog/+>	
	CSP	MERCSP	□ I1	AS/NZS 1337.1:2010	Anti-scratch/Anti-fog/⁺ P	
	POLARIZED	MERPOL	≅ 13	AS/NZS 1337.1:2010	Anti-scratch	
	POLARIZED	PSSMERCP09	≅ 13	AS/NZS 1337.1:2010	Anti-scratch	
	POLARIZED	PSSMERCP10	≅ 13	AS/NZS 1337.1:2010	Anti-scratch	
	Strap only (optional)	UNIVSTRAP	-	-	-	

LENS MARKING

- Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m²) and to the most aggressive chemicals and delays the onset of fogging for two minutes, as per the testing requirements of EN166.
- The letter 'I' signifies 'Medium Impact' approval.

Ocular lens category:

- 1. Range of luminous transmittance 43-88% (CSP).
- 3. Range of luminous transmittance 8-18% (Smoke and Polarised).

Others symbols:

Manufacturer name

TECHNOLOGIES

*PLATINUM

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and effectively delays the appearance of fogging.

POLARIZED

A technology approved for permanent wear and certified with perfect optical quality, it offers unbeatable comfort by filtering glare and reflections. Ideal for the maritime environment. Filters 99.99% of UVA/UVB.

CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that sustainably combats fogging.

LENSES

- 2.2mm polycarbonate
- Platinum® anti-scratch/anti-fog coating: Smoke and CSP
- · Anti-scratch coating: Polarised
- 99.9% UV 400 Smoke, CSP and Polarised

FRAME MARKING

AS/NZS 1337.1:2010 Tested and approved to AS/NZS 1337.1.2010 for medium impact protection. Resists a 6mm at 45 m/s.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.









Non-contractual pictures

21/04/2021

Bollé Safety AU Pty Limited 32-40 Fairchild Street Heatherton VIC 3202 T: 1300 138 098 E: sales@bollesafety.com.au

Hong Kong Bollé Safety 818, 8/F, Ocean Centre, Harbour City, 5 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong T.: +852 2732 5038



MERCURO

100% OUTDOOR

CHARACTERISTICS					
LENSES	PC - 2,2 mm - Curve 8				
FRAME	-				
TEMPLES	PC + TPR				
STRAP	Optional				
SPARE LENSES	No				

PACKAGING AND GTIN								
	MERPSF	MERCSP	MERPOL	PSSMERCP09	PSSMERCP10	UNIVSTRAP		
Individual plastic bag	9318330047468	9318330047475	9318330047482	3660740011840	3660740011857	9318330040865		
10 safety spectacles per inner box	(01)19318330047465	(01)19318330047472	(01)19318330047489	3660740111847	3660740111854	-		
240 safety spectacles per outer pack	(01)29318330047462	(01)29318330047479	(01)29318330047486	3660740211844	3660740211851	-		











Non-contractual pictures

21/04/2021



Hong Kong Bollé Safety 818, 8/F, Ocean Centre, Harbour City, 5 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong T.: +852 2732 5038

