HELIX 3062

Innovation intertwined with safety. That's the DNA of the Helix® Series. The siliconefree Helix® 3062 features an 18-gauge, highflex HPPE/metal fiber blend shell offering industry-leading level A9 cut resistance.

The touchscreen-compatible, flexible microfoam nitrile palm coating delivers superior grip in dry and oily situations.

	HPPE blend shell
ANSI/ISEA 105-2016 CUT	A9
ANSI/ISEA 105-2016 GRAM SCORE	6065
ANSI/ISEA 105-2016 PUNCTURE	4
ANSI/ISEA 105-2016 ABRASION	3
CE 🕑 EN 388: 2016	3X43F
(() EN 407: 2020	X1XXXX

Attributes

Shell:		18G HPPE/ metal fiber blend
Coating:	Material:	Ultra-thin foam nitrile
	Finish:	Smooth/light texture
	Weight:	Lightweight
	Breathability:	Good
	Flexibility:	Great
	Grip:	Dry or oil
Sizes:		6/XS through 11/XXL

Hex/Armor



Product features

- 18-gauge HPPE and metal fiber blend shell
- Ultra-thin foam nitrile palm coating provides superior grip and abrasion resistance
- · Hi-vis color on back-of-hand enhances visibility and compliance
- Hi--vis reinforced thumb saddle
- Touchscreen capabilities
- Rates level 1 for EN 407 Contact Heat (100°C or 212°F)
- Elastic knit wrist helps prevent dirt and debris from entering the glove
- Ultimate dexterity and tactility
- Seamless construction for enhanced comfort
- Launderable for extended life

Call **1.877.MY ARMOR** or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change. Protected by patents and patents pending