



PRODUCT NUMBER: 1004590
**ME05 - Longe fourche avec
absorbeur d'énergie - 2m -
2xML04+CS20**

Honeywell
MILLER

Overview

Reference Number

1004590

Product Type

Antichute

Range

Longes avec Absorbeur d'Energie

Brand

Miller by Honeywell

Industry

- Industrie
- Bâtiment et Construction

Product Use

Longe fourche de 2 m avec absorbeur d'énergie, équipée de 2 mousquetons automatiques ouverture 50mm et d'un mousqueton à vis.

Features & Benefits

Feature

La longe antichute possède un amortisseur incorporé qui limite la force d'arrêt de la chute dans une situation de chute atteignant 6 kN. Lien de 100 % .

Benefit

Légère et polyvalente, la longe antichute est conçue pour assurer une protection optimale.

Technical Description

Length

2m

Weight

1,500 kg

Breaking Strength

> 15 KN

Operating Temperature

-30°C à +500°C

Webbing

Webbing Raw Material

Sangle Polyester 23mm

Webbing Breaking Strength

> 3000 daN

Connector

Connector Type

TypeMousqueton à vis

Connector Raw Material

Raw MaterialAcier galvanisé

Connector Opening

Opening17 mm

Connector Breaking Strength

Breaking Strength> 2500 daN

Connector Standard

StandardEN 362(04)

Connector

Connector Type

TypeMousqueton automatique

Connector Raw Material

Raw MaterialAlliage léger

Connector Opening

Opening65 mm

Connector Breaking Strength

Breaking Strength> 2200 daN

Connector Standard

StandardEN 362(04)

Connector

Connector Type

TypeMousqueton à vis

Connector Raw Material

Raw MaterialAcier galvanisé

Connector Opening

Opening17 mm

Connector Breaking Strength

Breaking Strength> 2500 daN

Connector Standard

StandardEN 362(04)

Connector

Connector Type

TypeMousqueton automatique

Connector Raw Material

Raw MaterialAlliage léger

Connector Opening

Opening65 mm

Connector Breaking Strength

Breaking Strength> 2200 daN

Connector Standard

StandardEN 362(04)

Connector

Connector Type

Type

Connector Raw Material

Raw Material

Connector Opening

Opening

Connector Breaking Strength

Breaking Strength

Connector Standard

Standard

Energy Absorber

Energy Absorber Raw Material

Polyester/ Polyamide 30mm

Energy Absorber Breaking Strength

Pour élément lié : > 3200 Dan, pour élément non lié : > 1500 Dan

Certifications

EU Category PPE

12

Quality Assurance

ISO 9001 / 2000

EU Certification

EU Attestation

Additional Information

User Manual

NT90004208 IND L

User Information Sheet

Manuel d'utilisation

Packaging

EAN Code

7312550045909