



CODE ARTICLE: 1008111

V-MAXX® Soudure, Oculaire
IR 5, Antibuée

Honeywell

Présentation générale

Numéro de référence

1008111

Gamme

Lunettes-Masques

Ligne

V-Maxx

Marque

Honeywell

Marque anciennement connue sous le nom de
PULSAFE

Industrie

- Administration

Utilisation du produit

- Usage général et protection contre l'impact (120/s)
- Travaux mécaniques: meulage, tournage, fraisage, etc.
- Protection contre le coup d'arc (filtration UV 100%)
- Protection contre les liquides (Karcher...)
- Protection contre les grosses poussières

DESCRIPTIF :

- Résistance à la chaleur: jusqu'à 90°C
- Poids: 93 g.

MONTURE :

- Monture noire en PVC souple munie de 2 attaches pour fixation d'un film protecteur protégeant l'écran
- Système de ventilation indirecte pour éviter la formation de buée tout en protégeant des liquides
- Permet le port de lunettes correctrices et/ou de ½ masque respiratoire (pont de nez large)
- Bandeau élastique avec système de fixation pivotante pour permettre le port sur casque de protection

ECRAN :

- Polycarbonate IR 5 traité anti-rayures et antibuée
- Ecran bombé permettant un champ de vision panoramique (180°)
- Filtration UV 100 % (conforme à la norme EN 170)
- Qualité optique classe 1 (aucune déformation optique)
- Transmission de la lumière visible = 92 %

Caractéristiques & Avantages

Caractéristique

Un style sportif pour une meilleure acceptation par les utilisateurs • Champ de vision panoramique de 180° sans déformation optique • Convient à toutes les personnes et peut être portée avec des lunettes correctrices et/ou avec des demi-masques respiratoires (type Willson Série 5000 ou 4000) • Bandeau élastique disponible en diverses matières selon l'application (par ex. néoprène pour l'industrie chimique) • Fixations pivotantes du bandeau élastique pour une plus grande compatibilité avec un casque de chantier (confort maintenu dans diverses positions) • Système de ventilation indirecte et anti-éclaboussures • Disponible avec traitements anti-rayures et antibuée • Oculaire en polycarbonate pour une protection contre 99,9 % des UV, ou en acétate (chimie) • Disponible en teintes IR 3 et 5 pour le soudage • Poids: 93 g.

Descriptif technique

Couleur de l'oculaire

IR 5

Traitement de l'oculaire

Anti-rayures, Antibuée

Matériau de l'oculaire

Polycarbonate

Oculaires de remplacement

Non

Couleur de la monture

Noire

Matière de la monture

PVC

Clip de serre-tête

Elastique

Corps

Ventilation indirecte

Certifications

EPI catégorie CE

2

Numéro de certificat CE

EC0927

Attestation CE

EC Attestation

Numéro d'attestation

EC0927

Conditionnement

Code EAN

7312550081112

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 0927

Product description: -

Personal Protective Goggles

Product identification: -

HONEYWELL V-Maxx
HONEYWELL V-Maxx Welding

Manufacturer:

Sperian Eye & Face Protection Inc.
(a Honeywell Company)
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standard EN166:2001 and EN175:1997 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Honeywell Safety Products Europe
Immeuble Edison Paris Nord 2
33 rue des Vanesses - BP 55288
Villepinte 95958 Roissy CDG Cedex
France

Signed

Date: 13th December 2012

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England
(Notified Body No: 0194)

Certification remains valid until 13th December 2017, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 4th May 2001

certificate invalid
if not embossed

For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC 01.05.15, 01.05.16, 01.05.17, 01.05.18,
01.06.14 , 02.07.71, 01.05.24, 01.11.64,
03.03.26, 03.03.28, 1.11.09.53 |
| ii) | Technical File | - | TF/0927 & TF/0988 & TF/1011 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166
Sperian Eye & Face Protection, Inc QP EN 175 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 2 of 2	Withdrawn		
Page 2 of 2 (Amendment ONE)	Withdrawn		
Schedule ONE	Withdrawn		
Page 1 of 2 (Amendment ONE)	Withdrawn	05/07/04	Upgrade from EN166:1995 to EN166:2001
Page 2 of 2 (Amendment TWO)	Withdrawn	05/07/04	Add V-Maxx quality Plan
Schedule TWO	Withdrawn	05/07/04	
Certificate, Pages 1 – 4	Withdrawn	06/08/08	Inclusion of V-Maxx models from certificate 988 and 1101
Certificate, Pages 1 – 4	Withdrawn	110926	Additional manufacturing site for SKU 1007506
Certificate, Pages 1 – 4	Withdrawn	110930	Product name change to Honeywell
Certificate, Pages 1 – 4	Valid	121213	Authorised representative changed

CERTIFICATION SCHEDULE

Model	Housing	Lenses	Shade	Optical Class	Impact Grade	Options
1006192	Indirect Vent, elastic strap	PC/HC	2-1.2	1	B	3, 4
1006193	Indirect Vent, elastic strap	PC/AF	2-1.2	1	B	3, 4, 9
1006194	Indirect Vent, neoprene strap	PC/AF	2-1.2	1	B	3, 4, 9
1006195	No vent, elastic strap	PC/AF	2-1.2	1	B	3, 4, 5, 9
1006196	No vent, elastic strap, foam grommet	PC/AF	2-1.2	1	B	3, 4, 5, 9
1007506	Indirect Vent, neoprene strap	acetate		1	F	3, 4
1008110	Welding	PC/AF	3.0	1	B	3, 4, 9
1008111	Welding	PC/AF	5.0	1	B	3, 4, 9

Key:-

- F - High speed particles, LOW energy (EN166:2001 clause 7.2.2)
- B - High speed particles, MEDIUM energy (EN166:2001 clause 7.2.2)
- 3 - Protection against splashes of liquid (EN166:2001 clause 7.2.4)
- 4 - Protection against large dust particles (EN166:2001 clause 7.2.5)
- 5 - Protection against gases and fine dust particles (EN166:2001 clause 7.2.6)
- 9 - Protection against molten metals and hot solids (EN166 clause 7.2.3)

CERTIFICATION TEST REPORT RECEIPT FORM

DATE RECEIVED: January 24, 13

PRODUCT: Honeywell V-Maxx

Honeywell V-Maxx Welding

CERTIFICATION ☒ TEST REPORT ☐

SIGNATURES

Q.A. MANAGER

DIRECTOR QUALITY SYSTEMS

DIRECTOR R & D:

John Engisch
John Engisch



Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: V-MAXX® Soudure, Oculaire IR 5, Antibuée

Référence: 1008111

Norme(s): EN166, EN175

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

EC0927

Délivré par:

INSPEC International Ltd.

56 Leslie Hough Way, Salford

M6 6AJ GREATER MANCHESTER

United Kingdom

Fait en Manchester, le 07/11/2019

Par: K J Warren

Division: Protection oculaire et faciale

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 882 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com