



CODE ARTICLE: 2332245
PERFECT CUTTING®
DIAMOND

Manutention de pièces coupantes en milieux secs ou gras.

Honeywell

Présentation générale

Numéro de référence

2332245

Type de produit

Gants

Gamme

Protection contre les coupures et les perforations

Ligne

Résistant à la coupure

Marque

Honeywell

Marque anciennement connue sous le nom de

SPERIAN

Industrie

- Constructeur automobile et équipementier
- Aviation
- Bâtiment et travaux publics
- Restauration
- Énergie ou électricité
- Industries du verre
- Logistique
- Maintenance
- Acierie et métallurgie
- Industries du papier
- Services
- Télécommunications
- Transport
- Services collectifs

Utilisation du produit

Manutention de pièces coupantes en milieux secs ou gras.

Caractéristiques & Avantages

Caractéristique

Gant tricoté Dyneema® Diamond/lycra® blanc

Revêtement Polyuréthane noir sur la paume et le bout des doigts

Poignet élastique rouge

Avantage

CONFORT

La technique de tricotage utilisée permet d'obtenir un gant qui épouse parfaitement la main et offre une bonne dextérité.

Le gant offre un maximum de confort et une robustesse accrue.

Les fibres Dyneema® Diamond offrent une plus grande sensation de confort.

Les mailles serrées (jauge 13) confèrent à ce gant un maintien idéal. Elles empêchent les salissures de s'introduire et offrent en même temps une bonne dextérité.
Le dos aéré améliore la respirabilité du gant.

RÉSISTANCE

Les fils en Dyneema®/Lycra® garantissent une protection exceptionnelle contre les coupures.
L'enduction polyuréthane au niveau de la paume et du bout des doigts assure une exceptionnelle résistance à l'abrasion.
Attention ! Ne soumettez pas ces gants à la chaleur.

HYGIÈNE

Le coloris blanc renforce les propriétés de ce gant en matière d'hygiène et de propreté.
Son enduction noire permet de travailler dans un environnement gras.

Descriptif technique

Description

CATÉGORIE CE : Risques intermédiaires de niveau II
Conforme aux normes :
Normes européennes de base EN 420-2003
Risques mécaniques EN 388:2016

CARACTÉRISTIQUES :

Gant tricoté Dyneema® Diamond/lycra® blanc
Revêtement Polyuréthane noir sur la paume et le bout des doigts
Poignet élastique rouge

Technologie des produits

Tricoté et enduit

Calibre

13

Couleur de gant/doublure

Blanc et noir

Type de revêtement

Fibre Dyneema® Diamond et Lycra®

Longueur

23,5 cm

Innocuité

Conforme aux normes européennes

Dextérité

Classe 5

Tailles

7 à 11

EN 388 - Résistance à l'abrasion des dangers mécaniques

Résistance à l'abrasion	4
Résistance à la coupure (Coupe test)	4
Résistance au déchirement	4
Résistance à la perforation	2

Étiquette d'emballage

Étiquetage

CE Honeywell
2332245 XX
EN 420
EN 388 : 4442
TDM 13997

Certifications

EPI catégorie CE

2

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

0075/797/162/09/12/0681

Attestation CE

EC Attestation

Numéro d'attestation

0075/797/162/09/12/0681

Photos et images

Photo du produit

<http://www.honeywellsafety.com/assets/0/324/500/51887/79c05abaff2c4d80b138c66dd50b74d5.jpg>

Informations complémentaires

Manuel d'utilisation

UI 102

Fiche d'informations sur l'utilisateur

102

Maintenance

Information de stockage

Emballage minimum par 10 paires.

Cartons de 100 paires.

Instructions d'entretien

Cet article peut être nettoyé. Pour obtenir des conseils de nettoyage, veuillez contacter Honeywell Safety Products



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/12/0681

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 23 322 45
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on September 03th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 23 322 45

Basic Model

Dated : SEPTEMBER, 2012

5 fingers knitted glove. Dyneema Diamond/Lycra yarns. Black PU coating on the palm and fingertips. Elastic wrist. Overlock T6/Green- T7/Red - T8/Blue - T9/Yellow - T10/White-T11/Orange

Available sizes :

06 07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	White	Dyneema Diamond/Lycra yarn	13	
	Black	PU		0,8mm
BACK	White	Dyneema Diamond/Lycra yarn	13	
LINING				
CUFF	White	Dyneema Diamond/Lycra yarn	13	
	Red	elastic rubber	13	
BINDING	Green/ Red/ blue/ yellow/ white/ Orange	PES		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.
- * Innocuousness : - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1205-6542/1 1207-11209/1	1205-6542/1 1106-7634/1
Azo		1205-6542/1 1207-11209/1 1008-10045/2	
EN 388		1207-11209/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	4	4	2


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 23 322 45
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: PERFECT CUTTING® DIAMOND

Référence: 2332245

Norme(s): EN 388, EN 420

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

0075/797/162/09/12/0681

Délivré par:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Fait en Lyon, le 07/11/2019

Par: Fabrice beaugeard

Division: Gants

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 11 200 000 € - N° SIRET 331 490 79 79 80
Tel: +33 (0) 1 49 90 79 79 Fax: +33 (0) 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0) 1 49 90 79 80

www.honeywellsafety.com