

**DONNÉES GÉNÉRALES**

Division : Protection de la Tête
Famille de Produit : Protection Faciale et Oculaire
Gamme : Lunettes à Branches
Ligne : Lunettes à Branches Mono-Ecran
Ancienne marque : PULSAFE
Pays
France
Secteurs d'activité :
Administration

**Utilisation du produit :**

Usage général et protection contre l'impact (45m/s)
Travaux mécaniques: meulage, tournage, fraisage, etc.
Protection contre le coup d'arc (filtration UV 100%)

DESCRIPTIF:

Résistance à la chaleur: jusqu'à 80° C
Poids: 30 g.

MONTURE:

Monture nylon avec protection latérale intégrée à l'écran
Protection sus-orbitale intégrée à l'écran
Branches ajustables en longueur (4 positions) et en inclinaison (5 positions)
Cordelette Flexicord réglable
Plaquettes de nez hypoallergéniques ajustables

OCULAIRE:

Monoécran en polycarbonate incolore traité anti-rayures et antibuée
Filtration UV 100% (conforme à la EN 170)
Qualité optique classe 1 (aucune déformation optique)
Transmission de la lumière visible = 92%

AVANTAGES PRODUIT**Caractéristiques :****Un prix abordable pour une qualité optimale**

- Ecran monobloc offrant un champ de vision dégagé
- Arcade moulée intégrée
- Pont de nez souple et réglable
- Branches réglables en longueur et en inclinaison
- Oculaire en polycarbonate anti-rayures et antibuée
- Cordelette Flexicord réglable permettant de porter les lunettes et sautoir
- Un excellent rapport qualité/prix
- Poids : 30 g

DESCRIPTIF TECHNIQUE

Type de protection :
Lunettes

Couleur / teinte de l'oculaire :
Incolore

Traitement de l'oculaire :
Antibuée, anti-rayures

Matériau de l'oculaire :
Polycarbonate

Oculaire de remplacement :
Non

Couleur de la monture :
Noire

Matériau de la monture :
Nylon

Poids :
30g

CERTIFICATION ET CONFORMITÉ

Catégorie d'EPI* CE : Classe 2

Normes :
EN166 / EN170

Directives Européennes :
89/686/CEE

Assurance Qualité :
ISO 9001 / 2000

Numéro de Certification CE :
723

Numéro d'Attestation CE :
0194

Laboratoire :
INSPEC

*EPI : Equipements de Protection Individuelle

DECLARATION DE CONFORMITE CE**The manufacturer or its legal representative supplier settled in the European Community:**

Sperian Protection Europe

Déclare que l'Equipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive Européenne 89/686/CEE ::

Désignation: OP-TEMA® Monture Noire, Oculaire Incolore Antibuée

Référence: 1004947

Norme(s): EN166 EN170

Cet EPI fait l'objet de l'attestation CE type ci-dessus ::

0194

Délivré par :

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ Greater Manchester

United Kingdom

Fait à , le 04/20/1999

par:

Division: Protection de la Tête

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 0723

Product description: -

Personal Protective Spectacles

Product identification: -

SPERIAN Op-Tema

Manufacturer:

Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 55 288
95958 Roissy CDG cedex
France

Signed .

Date: 20th April 1999

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England
(Notified Body No: 0194)



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | 99.03.81, 99.04.24/25 99.05.02, 00.04.28
00.04.29, 09.05.18, 09.05.19, 09.05.20
INRS Y 382 10 02
ICS T2851-01-1 |
| ii) | Technical File | - | TF/0723 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 1 of 2 Amendment ONE	Withdrawn		
Page 1 of 2 Amendment TWO	Withdrawn		
Page 1 of 2 Amendment THREE	Withdrawn		
Page 1 of 2 Amendment FOUR	Withdrawn		
Page 1 of 2 Amendment FIVE	Withdrawn		
Page 1 of 2 Amendment SIX	Withdrawn		
Page 1 of 2 Amendment SEVEN	Withdrawn	26/01/06	Update to 2001
Page 2 of 2	Withdrawn		
Page 2 of 2 Amendment ONE	Withdrawn		
Page 2 of 2 Amendment TWO	Withdrawn		
Page 2 of 2 Amendment THREE	Withdrawn		
Page 2 of 2 Amendment FOUR	Withdrawn		
Page 2 of 2 Amendment FIVE	Withdrawn		
Page 2 of 2 Amendment SIX	Withdrawn		
Page 2 of 2 Amendment SEVEN	Withdrawn		
Page 1 of 2 Amendment EIGHT	Withdrawn	18/01/06	Add report ICS T2851-01-1
Schedule ONE	Withdrawn		
Schedule TWO	Withdrawn		
Schedule THREE	Withdrawn		
Schedule FOUR	Withdrawn		
Schedule FIVE	Withdrawn		
Schedule SIX	Withdrawn		
Schedule SEVEN	Withdrawn		
Schedule EIGHT	Withdrawn		
Schedule NINE	Withdrawn	26/01/06	Add new shape TSR gray and update standards
Certificate, Pages 1 – 4	Withdrawn	13/11/08	Name change to SPERIAN and removal of products no longer sold.
Certificate, Pages 1 – 4	Valid	090511	Addition of different manufacturing locations and inclusion of FT option.



CERTIFICATION SCHEDULE

Model	Frame	Lens	Optical Class	Lens Filter	Options
100 0016 ^a	Black	Clear HC	1	2C-1.2	FT
100 0018 ^a	Blue	Clear HC	1	2C-1.2	FT
100 0020 ^a	Burgundy	Clear HC	1	2C-1.2	FT
100 4947 ^a	Black	Clear Fog-ban	1	2C-1.2	FT
100 4949 ^a	Blue	Clear Fog-ban	1	2C-1.2	FT
1000017 ^a	Black	TSR Gray HC	1	5 – 2.5	FT
1004948 ^a	Black	TSR Gray Fog-ban	1	5 – 2.5	FT
1004960 ^a	Blue	TSR Gray Fog-ban	1	5 – 2.5	FT

Key:

^a - Version with modified nose bridge, lens, ratchet & joint, certified against EN166:2001

FT - Low energy impact at extreme temperatures



CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 5/21/09

PRODUCT: CP-1000A

CERTIFICATION ☒

TEST REPORT ☐

SIGNATURES

Q.A. MANAGER [Signature]

DIRECTOR QUALITY SYSTEMS [Signature]

DIRECTOR R & D: [Signature]