



[+ Afficher Plus](#)

CODE ARTICLE: 1005580

## MASQUE A USAGE UNIQUE FFP1D - Sperian 5110 M/L

**Honeywell**

### Présentation générale

#### Numéro de référence

1005580

#### Gamme

Appareils de Protection Respiratoire Filtrants Jetables

#### Ligne

Masques moulés

#### Marque

Honeywell

#### Industrie

■ Bâtiment et Construction ■ Industrie sidérurgique ■ Industries textiles

#### Utilisation du produit

**Application:** Industries textile, du bâtiment, sidérurgique, etc ... Il protège des poussières, du brouillard et des fumées contenant du carbonate de calcium, argile, kaolin, cellulose, coton, farine, métaux ferreux, huiles végétales et minérales, fluides de coupe(*cette liste n'est pas exhaustive*).

**Niveau d'utilisation maximum:** Il peut être utilisé dans des atmosphères contenant des aérosols solides et/ou liquides à des concentrations allant jusqu'à 4,5 x VME\* (conformément à la norme EN 149:2001) - 4 x VME\* au Royaume-Uni. Certaines restrictions ou limitations peuvent s'appliquer en cas de contaminants spécifiques. Se référer aux normes applicables en matière de santé et de sécurité.

**Limites d'utilisation:** Ce masque filtrant à usage unique NE doit PAS être utilisé dans les situations suivantes:

- quand la concentration en oxygène est inférieure à 17 %
- quand les contaminants ou leurs concentrations sont inconnus ou immédiatement dangereux pour la vie ou la santé
- quand la concentration des contaminants dépasse les niveaux fixés par les normes relatives à la santé et à la sécurité ou 4,5 x VME\* - 4 x VME\* au Royaume-Uni qui est plus bas
- en présence de contaminants toxiques ou radioactifs
- en présence de gaz ou de vapeurs
- en cas de lutte contre l'incendie.

**Mises en garde:** Il est recommandé aux utilisateurs de s'assurer que le niveau de protection du respirateur est suffisant pour le type et la concentration du/des contaminant/s sur le lieu de travail.

A n'utiliser que par un personnel formé et qualifié.

L'étanchéité du masque peut ne pas être assurée si celui-ci est porté sur une barbe, même de quelques jours.

Ce respirateur ne fournit pas d'oxygène.

\* VME : Valeur moyenne d'exposition pour un travail de 8 heures.

## Caractéristiques & Avantages

### Caractéristique

Large gamme de produits

### Avantage

Adaptation à toutes les utilisations de masques respiratoires à usage unique

### Caractéristique

L'efficacité de filtration a été testée avec une charge de 120 mg

### Avantage

Conforme à la législation française

### Caractéristique

Joint nasal Willtech ultra doux

### Avantage

Confort exceptionnel

### Caractéristique

Joint nasal Willtech avec des propriétés d'absorption

### Avantage

Prévient tout risque d'irritation et accroît la sensation de confort de l'utilisateur

### Caractéristique

Joint nasal Willtech avec mousse et film étanches

### Avantage

Protection et tolérance de l'utilisateur garanties

### Caractéristique

Joint nasal Willtech hypoallergénique

#### Avantage

Aucun risque d'allergies

#### Caractéristique

Pièce nasale préformée

#### Avantage

Sécurité supplémentaire, gain de temps

#### Caractéristique

Pièce nasale colorée

#### Avantage

Sécurité supplémentaire, gain de temps

#### Caractéristique

Test de colmatage facultatif (testé avec de la dolomite)

#### Avantage

Aucun besoin de remplacer le masque respiratoire durant la période d'utilisation prévue

### Descriptif technique

### Certifications

#### Déclaration de conformité CE

##### EPI catégorie CE

3

##### Assurance qualité

ISO 9001 / 2000

##### Numéro de certificat CE

QS.001

##### Attestation CE

 EC Attestation

##### Numéro d'attestation

928

#### PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/6ea03c2bccc64cb88d93efb87cfe4>.

Photos et images

**Cycle de vie**

3 ans

Maintenance

**Information de stockage**

Intervalle de température des conditions stockage: -20°C/+40°C

Taux d'humidité relative maximum des conditions de stockage: inférieur à 95%

**Code EAN**

7312550055809 (boîte) / 17312550055806 (caisse)

Conditionnement

# INSPEC



## EC TYPE-EXAMINATION CERTIFICATE: 0928

**Product description: -**

Filtering Face Mask

**Product identification: -**

Refer to attached schedule

**Manufacturer: -**

Honeywell Safety Products Armor  
Z. I. de la Gare  
22940 Plaintel  
France

When assessed and examined against harmonised standard EN149:2001+A1:2009, are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Are manufactured under a Quality Control System, which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed

Date: 31st October 2013

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.  
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ  
England (Notified Body No: 0194)

Certification remains valid until 3rd September 2017, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 9th May 2001

For terms and conditions of issue, see page 2



## Terms and Conditions

### Reference Documents: -

- |      |                          |   |                                                                                                                                                                     |
|------|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| i)   | Test Reports             | - | See TF for test reports plus<br>1.11.11.57a, 1.11.11.73, 1.11.11.75,<br>1.11.11.105, 1.11.11.106, 1.11.11.107,<br>1.11.12.11, 1.13.05.04, 1.13.05.49,<br>1.13.08.39 |
| ii)  | Technical File           | - | TF/0928, TF/1026, TF/1039, TF/1321,<br>& TF/1543                                                                                                                    |
| iii) | Test and Inspection Plan | - | QUA PRO 01/001                                                                                                                                                      |

### Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

# CERTIFICATION INDEX

| Item                       | Status    | Issued   | Amendment                                                                                                                    |
|----------------------------|-----------|----------|------------------------------------------------------------------------------------------------------------------------------|
| Page 1 of 2                | Withdrawn |          |                                                                                                                              |
| Page 1 of 2 (Amend ONE)    | Withdrawn |          |                                                                                                                              |
| Schedule ONE               | Withdrawn |          |                                                                                                                              |
| Schedule TWO               | Withdrawn |          |                                                                                                                              |
| Schedule THREE             | Withdrawn |          |                                                                                                                              |
| Page 2 of 2                | Withdrawn |          |                                                                                                                              |
| Schedule FOUR              | Withdrawn | 5/8/04   | To add additional model names                                                                                                |
| Page 1 of 2 (Amend TWO)    | Withdrawn |          |                                                                                                                              |
| Page 2 of 2 (Amend ONE)    | Withdrawn | 12/7/06  | To add test report 06.07.32                                                                                                  |
| Schedule FIVE              | Withdrawn | 12/7/06  | To amend model references from 5321 to 5311                                                                                  |
| Pages 1 to 4 (Amend THREE) | Withdrawn | 11/06/07 | Addition of masks Willson 5211 x 2 and Willson 5321.                                                                         |
| Pages 1 to 5               | Withdrawn | 23/07/07 | Addition of masks:<br>Willson 5311 S 1x10<br>Willson 5311 M/L 1x10<br>Willson 5311 XL 1x10                                   |
| Pages 1 to 5               | Withdrawn | 21/01/08 | Addition of masks removed with previous certificate issue and name change                                                    |
| Pages 1 to 5               | Withdrawn | 28/02/08 | Addition of WILLSON 5221 M/L-RD                                                                                              |
| Pages 1 to 5               | Withdrawn | 18/04/08 | Addition of new pack sizes                                                                                                   |
| Pages 1 to 5               | Withdrawn | 24/06/08 | Name change to SPERIAN                                                                                                       |
| Pages 1 to 5               | Withdrawn | 26/08/08 | Addition of SPERIAN 5311 M/L DIY Sachet x 3                                                                                  |
| Pages 1 to 5               | Withdrawn | 24/09/08 | Addition of SPERIAN 5310 M/L                                                                                                 |
| Pages 1 to 5               | Withdrawn | 090803   | Addition of SPERIAN 5310 M/L-P & 5311 M/L-P                                                                                  |
| Pages 1 to 5               | Withdrawn | 100423   | Addition of SPERIAN 5271 M/L                                                                                                 |
| Pages 1 to 10              | Withdrawn | 100628   | Update to Current standard.<br>Add models from other certificates.<br>Remove obsolete references.                            |
| Pages 1 to 10              | Withdrawn | 110222   | Addition of Italian fold flat 4000 series for Italy & PSS range.                                                             |
| Pages 1 to 10              | Withdrawn | 110624   | Addition of 2 new nose-bridges, new outer layer and additional head straps to Sperian 5000 range                             |
| Pages 1 to 10              | Withdrawn | 110928   | Brand name change to HONEYWELL and improvements to 5000 series and D for Comfort range<br>Add reference to terms of business |
| Pages 1 to 9               | Withdrawn | 120127   | Upgrade to 'D' following dolomite testing and removal of Economy moulded range                                               |
| Pages 1 to 9               | Withdrawn | 120305   | Addition of several references still being produced.                                                                         |
| Pages 1 to 9               | Withdrawn | 120903   | Remaining references changed to HONEYWELL, addition of several references to PSS range & change of legal entity to HONEYWELL |

|               |           |        |                                                                                                                                                                                                            |
|---------------|-----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pages 1 to 10 | Withdrawn | 130721 | Addition of modified head strap to the following Easifit models: 1016256-N 1016256-B, 1015382-DS & 1016257-DS<br>Addition of Superone models 3207 FFP3 NR D and 3208 FFP3V NR D.                           |
| Pages 1 to 10 | Valid     | 131031 | Addition of test report 1.13.08.39 covering new filter media for Honeywell Comfort moulded and Premium / Speciality moulded masks.<br>Honeywell references:<br>MEDIA FFP1-A, MEDIA FFP2-A and MEDIA FFP3-A |

# CERTIFICATION SCHEDULE

## Economy moulded range

TF1321

| Number  | Designation                         | Class   | Valve |
|---------|-------------------------------------|---------|-------|
| 1013203 | HONEYWELL SuperOne 3203             | FFP1NRD | No    |
| 1013204 | HONEYWELL SuperOne 3204             | FFP1NRD | Yes   |
| 1013205 | HONEYWELL SuperOne 3205             | FFP2NRD | No    |
| 1013206 | HONEYWELL SuperOne 3206             | FFP2NRD | Yes   |
| 1032501 | HONEYWELL SuperOne 3207             | FFP3NRD | No    |
| 1032502 | HONEYWELL SuperOne 3208             | FFP3NRD | Yes   |
| 1015761 | HONEYWELL SuperOne 3205 Bulk        | FFP2NRD | No    |
| 1015794 | HONEYWELL SuperOne 3205 DP BLC      | FFP2NRD | No    |
| 1016940 | HONEYWELL SuperOne 3205 DP BLC-5400 | FFP2NRD | No    |
| 1017870 | SuperOne 3203                       | FFP1NRD | No    |
| 1017871 | SuperOne 3206                       | FFP2NRD | Yes   |

# CERTIFICATION SCHEDULE

## Economy Flat-fold range

TF1543

| Number     | Designation                  | Class   | Valve |
|------------|------------------------------|---------|-------|
| 1016256    | HONEYWELL EasyFit 100        | FFP1NRD | No    |
| 1016256-N  | HONEYWELL EasyFit 100        | FFP1NRD | No    |
| 1016256-B  | HONEYWELL EasyFit 100 Indiv. | FFP1NRD | No    |
| 1018921    | HONEYWELL EasyFit 200        | FFP2NRD | No    |
| 1015382-DS | HONEYWELL EasyFit 200        | FFP2NRD | No    |
| 1016257-DS | HONEYWELL EasyFit 200 Indiv. | FFP2NRD | No    |
| 1015639    | HONEYWELL EasyFit 300        | FFP3NRD | No    |

# CERTIFICATION SCHEDULE

## Comfort moulded range

TF1039

| Number    | Designation                    | Class   | Valve | Size         |
|-----------|--------------------------------|---------|-------|--------------|
| 1007221   | HONEYWELL 5185 M/L             | FFP1NRD | No    | Medium/Large |
| 1007222   | HONEYWELL 5186 M/L             | FFP1NRD | Yes   | Medium/Large |
| 1007223   | HONEYWELL 5208 M/L             | FFP2NRD | No    | Medium/Large |
| 1007224   | HONEYWELL 5209 M/L             | FFP2NRD | Yes   | Medium/Large |
| 1015635   | HONEYWELL 5311 M/L             | FFP3NRD | Yes   | Medium/Large |
| 1015800   | HONEYWELL 5208 M/L Bulk        | FFP2NRD | No    | Medium/Large |
| 1015801   | HONEYWELL 5208 M/L DP Blc      | FFP2NRD | No    | Medium/Large |
| 1015635-B | HONEYWELL 5311 M/L Sachet x 10 | FFP3NRD | Yes   | Medium/Large |
| 1016834   | HONEYWELL 5209 M/L HighVis FVY | FFP2NRD | Yes   | Medium/Large |

# CERTIFICATION SCHEDULE

## Premium & Specialty moulded range Medium/Large (M/L) & Extra-Large (XL)

TF0928

| Number  | Designation        | Class        | Valve | Size         |
|---------|--------------------|--------------|-------|--------------|
| 1005580 | HONEYWELL 5110 M/L | FFP1NRD      | No    | Medium/Large |
| 1005113 | HONEYWELL 5110 XL  | FFP1NRD      | No    | Extra large  |
| 1005582 | HONEYWELL 5111 M/L | FFP1NRD      | Yes   | Medium/Large |
| 1005584 | HONEYWELL 5210 M/L | FFP2NRD      | No    | Medium/Large |
| 1005586 | HONEYWELL 5211 M/L | FFP2NRD      | Yes   | Medium/Large |
| 1005099 | HONEYWELL 5211 XL  | FFP2NRD      | Yes   | Extra large  |
| 1005588 | HONEYWELL 5221 M/L | FFP2NRD      | Yes   | Medium/Large |
| 1005120 | HONEYWELL 5221 XL  | FFP2NRD      | Yes   | Extra large  |
| 1005602 | HONEYWELL 5321 M/L | FFP3NRD      | Yes   | Medium/Large |
| 1005126 | HONEYWELL 5321 XL  | FFP3NRD      | Yes   | Extra large  |
| 1005591 | HONEYWELL 5140 M/L | FFP1NRD (OV) | No    | Medium/Large |
| 1005593 | HONEYWELL 5141 M/L | FFP1NRD (OV) | Yes   | Medium/Large |
| 1005595 | HONEYWELL 5251 M/L | FFP2NRD (OV) | Yes   | Medium/Large |
| 1005122 | HONEYWELL 5251 XL  | FFP2NRD (OV) | Yes   | Extra large  |
| 1005598 | HONEYWELL 5161 M/L | FFP1NRD (AV) | Yes   | Medium/Large |
| 1005600 | HONEYWELL 5261 M/L | FFP2NRD (AV) | Yes   | Medium/Large |
| 1029674 | HONEYWELL 5271 M/L | FFP2NRD (AV) | Yes   | Medium/Large |

# CERTIFICATION SCHEDULE

## Premium Flat-Fold range

TF1026

| Number    | Designation            | Class   | Valve | Size         |
|-----------|------------------------|---------|-------|--------------|
| 1005605   | HONEYWELL 4110 M/L     | FFP1NRD | No    | Medium/Large |
| 1005608   | HONEYWELL 4111 M/L     | FFP1NRD | Yes   | Medium/Large |
| 1005611   | HONEYWELL 4210 M/L     | FFP2NRD | No    | Medium/Large |
| 1005614   | HONEYWELL 4211 M/L     | FFP2NRD | Yes   | Medium/Large |
| 1005630   | HONEYWELL 4311 M/L     | FFP3NRD | Yes   | Medium/Large |
| 1005605-I | HONEYWELL 4110 M/L – I | FFP1NRD | No    | Medium/Large |
| 1005608-I | HONEYWELL 4111 M/L – I | FFP1NRD | Yes   | Medium/Large |
| 1005611-I | HONEYWELL 4210 M/L – I | FFP2NRD | No    | Medium/Large |
| 1005614-I | HONEYWELL 4211 M/L – I | FFP2NRD | Yes   | Medium/Large |
| 1005630-I | HONEYWELL 4311 M/L – I | FFP3NRD | Yes   | Medium/Large |

# CERTIFICATION SCHEDULE

## Professional Self Service Range

TF0928

| Number  | Designation                     | Class           | Valve | Size         |
|---------|---------------------------------|-----------------|-------|--------------|
| 1030343 | HONEYWELL 5185 M/L x 20 PSS     | FFP1NRD         | No    | Medium/Large |
| 1030341 | HONEYWELL 5110 M/L x 5 PSS      | FFP1NRD         | No    | Medium/Large |
| 1015916 | HONEYWELL 5211 M/L x 2 PSS      | FFP2NRD         | Yes   | Medium/Large |
| 1030344 | HONEYWELL 5211 M/L x 10 PSS     | FFP2NRD         | Yes   | Medium/Large |
| 1015917 | HONEYWELL 5321 M/L x 1 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1030340 | HONEYWELL 5321 M/L x 5 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1030342 | HONEYWELL 5141 M/L x 2 PSS      | FFP1NRD<br>(OV) | Yes   | Medium/Large |
| 1028131 | HONEYWELL 4210 M/L x 5 PSS      | FFP2NRD         | No    | Medium/Large |
| 1014142 | HONEYWELL 5209 M/L x 3 PSS      | FFP2NRD         | Yes   | Medium/Large |
| 1016242 | HONEYWELL 5311 M/L x 3 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1014143 | HONEYWELL SuperOne 3203 x 3 PSS | FFP1NRD         | No    | -            |
| 1014335 | HONEYWELL SuperOne 3206 x 3 PSS | FFP2NRD         | Yes   | -            |
| 8015916 | HONEYWELL 5211 M/L x 2 PSS N    | FFP2NRD         | Yes   | Medium/Large |
| 8030967 | HONEYWELL 5211 M/L x 10 PSS N   | FFP2NRD         | Yes   | Medium/Large |
| 8015917 | HONEYWELL 5321 M/L x 1 PSS N    | FFP3NRD         | Yes   | Medium/Large |
| 8030969 | HONEYWELL 5321 M/L x 5 PSS N    | FFP3NRD         | Yes   | Medium/Large |
| 8030968 | HONEYWELL 4210 M/L x 5 PSS N    | FFP2NRD         | No    | Medium/Large |



# Déclaration de conformité CE

**Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:**

Honeywell Safety Products Europe

**Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:**

Désignation: MASQUE A USAGE UNIQUE FFP1D - Sperian 5110 M/L

Référence: 1005580

Norme(s): EN149:2001

**Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:**

QS.001

**Délivré par:**

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Fait en Roissy, le 22/12/2014

**Par:**

**Division:** Protection respiratoire

Pascal MARGERIT

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)