

**CODE ARTICLE: 2094401****FINEDEX® 944-01 CLEAN**

Entretien général en usines et collectivités. Travail standard dans l'industrie chimique. Restauration collective.

Honeywell**Présentation générale****Numéro de référence**

2094401

Type de produit

Gants

Gamme

Protection Chimique

Ligne

Étanche aux liquides

Marque

Honeywell

Marque anciennement connue sous le nom de

SPERIAN

Industrie

- Bâtiment et Construction
- Restauration Collective
- Industries Chimiques
- Pêche
- Industries Alimentaires
- Nettoyage industriel
- Industries Médicales et Pharmaceutiques
- Imprimerie
- Traitement des Eaux
- Laboratoires
- Construction Navale

Utilisation du produit

Entretien général en usines et collectivités. Travail standard dans l'industrie chimique. Restauration collective.

Caractéristiques & Avantages**Caractéristique**

Gant en latex jaune non supporté

Intérieur flocké

Finition diamant

Avantage

CONFORT

Le latex naturel offre une excellente souplesse pour une dextérité accrue et un confort d'utilisation maximal.

L'intérieur flocké coton assure un plus grand confort.

La finition diamant est adaptée aux préhensions sèches et humides.

RESISTANCE

Le latex offre une bonne protection mécanique et chimique contre les détergents et produits liquides.

PROTECTION

La manchette apporte une protection supplémentaire au niveau de l'avant-bras.

HYGIENE

Le processus de fabrication permet d'obtenir un gant ayant un taux minimal de protéine de latex.

Descriptif technique

Description

CE CATEGORY : II Risques intermédiaire

Conforme aux normes :

EN 420-2003 Exigences générales

EN 388-2003 Risques mécaniques

EN 374-2003 Risques chimiques

DESCRIPTIF :

Gant en latex jaune non supporté

Intérieur flocké

Finition diamant

Technologie des produits

Gants Trempés

Couleur de gant/doublure

Jaune

Type de revêtement

Latex et coton

Longueur

30 cm

Épaisseur

0,4/0,8 mm

Innocuité

Conforme aux normes Européennes

Dextérité

Classe 5

Tailles

6 à 10

EN 388 - Résistance à l'abrasion des dangers mécaniques

Résistance à l'abrasion	1
Résistance à la coupure	0
Résistance au déchirement	1
Résistance à la perforation	0

Étiquette d'emballage

Étiquetage

CE HONEYWELL

2094401 XX

EN 420

EN 388 : 1011

EN 374-2

Certifications

 Déclaration de conformité CE

EPI catégorie CE

3

Numéro de certificat CE

0075/797/162/11/08/0462

Attestation CE

 EC Attestation

Numéro d'attestation

0075/797/162/11/08/0462

Informations complémentaires

Manuel d'utilisation

UI 103

Fiche d'informations sur l'utilisateur

103

Maintenance

Information de stockage

Conditionnement minimal 10 paires.

Carton de 100 paires.

Instructions d'entretien

Pour conserver ses performances, ce gant ne doit pas être nettoyé.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-854 du 22.08.1978 - Siret 77584972800180 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/11/08/0462

To the following model of personal protective equipment :

* protective glove against mechanical risks, low chemical risks, chemical risks.

* reference of the model : 20 944 01

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on November 21th, 2008
Update 01 of December 03th, 2012

Issued by Lionel GAUDILLERE

NOTA : Any modification to ~~new~~ items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 20 944 01

Basic Model

Dated : NOVEMBER 2012

5 fingers latex glove. Flocked inside.

Available sizes :

06 07 08 09 10

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Yellow	Latex		0,4mm
BACK	Yellow	Latex		0,4mm
LINING	Natural	Cotton		
CUFF	Yellow	Latex		0,4mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- one product tested.
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-6044/2 1210-16004/1	
EN 388		1210-16004/1	
EN 374-2		1210-16004/1	
EN 374-3		1210-15619	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	0	1	0

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	ACIDE SULFURIQUE 4M					
Letter code of the product	L					
Permeation performance levels	6					

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative: _____
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 944 01
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals and micro-organisms risks
- * information pictogram

Marking example:





Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: FINEDEX ® 944-01 CLEAN

Référence: 2094401

Norme(s): EN 374-2, EN 388, EN 420

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

0075/797/162/11/08/0462

Délivré par:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Fait en Roissy, le 19/06/2017

Par: Fabrice beaugeard

Division: Gants

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 11 200 000 € - N° SIRET 331 4990 7980 00137
Tel: +331 49 90 79 79 Fax: +331 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com