



PRODUCT NUMBER: 1034536

DuraHoist Arm Portable Base

Ideal for work areas where frequent set- up and tear-down is required

Honeywell
MILLER

Overview

Reference Number

1034536

Product Type

Fall Protection

Range

Rescue Equipment

Brand

Miller by Honeywell

Brand formerly known as

MILLER

Industry

- Building and Construction
- Maintenance
- Utilities

Product Use

Fall Arrest Device and Rescue System

Features & Benefits

Feature

A product that suits all work situations

Benefit

Modular design allows the use of various fixed and portable bases and an optional mast with extensions

Feature

Comfort and freedom of movement

Benefit

Lightweight, manageable components for easy storage, transport and set-up

Feature

Better security

Benefit

Certified to the last requirements of the EN 795:2012 class B

Feature

Reliability

Benefit

Winch for material handling and/or lifeline system may be mounted as required

Technical Description

External

Raw Material

Aluminum + Stainless Steel + Plastic

Dimensions

Width

1 to 1,70m adjustable

Size

1410x660x410

Performance

Max Working Load

136kg

Maximum Effort

1200daN as a system

Weight (kg)

26,65kg

Operating Temperature

-30° / +60°

External

Finish

Anodising

Performance

Maximum Materials Load

300kgs

1



[+ Afficher Plus](#)

CODE ARTICLE: 1005149

MI65 Enrouleur à câble MightEvac - 15m

15 m, boîtier antichute avec treuil de sauvetage

MILLER
by Honeywell

Présentation générale

Numéro de référence

1005149

Type de produit

Antichute

Gamme

Enrouleurs à Rappel Automatique et Treuils

Marque

Miller by Honeywell

Industrie

■ Services Publics ■ Télécommunications

Utilisation du produit

Boîtier antichute - avec position treuil.

Utilisé avec le trépied Miller pour constituer des systèmes stables et sûrs de sauvetage et d'accès aux espaces confinés.

Des résultats exceptionnels grâce à un boîtier en acier embouti et un design compact

Témoin de chute.

Equipé d'un mousqueton à vis.

Adaptateur non inclus.

Caractéristiques & Avantages

Caractéristique

Boîtier antichute - avec position treuil. Utilisé avec le trépied Miller pour constituer des systèmes stables et sûrs de sauvetage et d'accès aux espaces confinés. Témoin de chute. Equipé d'un mousqueton à vis. Adaptateur non inclus.

Avantage

Des résultats exceptionnels grâce à un boîtier en acier embouti et un design compact. Facile à utiliser avec un treuil de sauvetage (haut/bas)

Descriptif technique

Extérieur

carter

Alliage d'aluminium

Câble

Câble galvanisé 4,8 mm

Connecteurs

Mousqueton automatique à émerillon. Matériau: acier chromé Ouverture: 21 mm Résistance à la rupture: > 2000 daN Mousqueton à vis Matériau: acier zingué Ouverture: 17 mm Résistance à la rupture :> 2500 daN

Dimensions

Longueur

710mm

Largeur

320mm

Épaisseur

215mm

Longueur maximale

15m

Intérieur

Mécanisme

Acier inoxydable

Performances

Poids (kg)

13,500 Kg

Température d'utilisation

-30°C à +50°C

 Déclaration de conformité CE

EPI catégorie CE

Certifications

3

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

333

Attestation CE

 EC Attestation

Numéro d'attestation

000542

Nous sommes désolés, aucune image n'est disponible pour le moment.

Manuel d'utilisation

NT90004211 IND L

Fiche d'informations sur l'utilisateur

Manuel d'utilisation

Informations complémentaires

Code EAN

7312550051498

Conditionnement



SGS Yarsley
International Certification Services

EC TYPE-EXAMINATION CERTIFICATE
EC COUNCIL DIRECTIVE (89/686/EEC)

CERTIFICATE NUMBER: 000542

Issued to: Dalloz Fall Protection

Address: 1355 15th Street
Franklin
PA 16323
USA

PPE Product: a) Miller® "MightEvac" Retractable Fall Arrestor with Integral Retrieval
Winch Module, 3/16" galvanized cable with a locking swivel snap hook
connector, product codes: MR15MG (15m line), MR50G (50 ft.).
b) As above except that the unit is fitted with a 3/16" stainless steel cable,
product codes: MR15MS (15m), MR50S (50 ft.).
These models are described in the manufacturer's technical file reference
TF0001-008 issue dated April 10, 2000.

It is certified that the manufacturer's technical file and the above mentioned PPE product have been assessed and found to be in accordance with the requirements of Council Directive 89/686/EEC. When examined the PPE satisfied the relevant requirements of the harmonized standard EN 360:1992. In addition the retrieval winch facility meets the requirements of EN 1496:1996 for Class B devices, however, when operated in this mode the product is not currently considered to be PPE.

The manufacturer's information notice (1100, Rev.D with corrigendum) in English has been inspected and found to have addressed all of the relevant requirements of the harmonized standard. However, the detailed content of the information notice is the responsibility of the manufacturer, as are translations into other languages.

This certificate is issued on the strict condition that appropriate checks on manufactured PPE, as detailed in Article 11 of the Directive, are implemented and maintained while the model is in production.

Date of Issue: 26 May 2000

Signed:

for and on behalf of SGS Yarsley International Certification Services
EC Notified Body number 0120.

SGS Reference: PP 61840

SGS House, 217-221 London Road, Camberley, Surrey, GU15 3EY, United Kingdom



Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: MI65 Enrouleur à câble MightEvac - 15m

Référence: 1005149

Norme(s): EN360

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

333

Délivré par:

SGS Yarsley

Trowers Way

Redhill

RH1 2JN

SURREY

United Kingdom

Fait en Vierzon, le 22/12/2014

Par: Valérie Cambourieu

Division: Antichute

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com



CODE ARTICLE: 1034542

Support de ME 15 m pour système de potence

DuraHoist

Support de MightEvac 15 m pour système de potence DuraHoist

Honeywell
MILLER

Présentation générale

Numéro de référence

1034542

Type de produit

Antichute

Gamme

Équipement de secours

Marque

Miller by Honeywell

Marque anciennement connue sous le nom de

MILLER

Industrie

- Bâtiment et travaux publics
- Maintenance
- Services collectifs

Utilisation du produit

Dispositif d'arrêt de chute et système de sauvetage

Caractéristiques & Avantages

Caractéristique

Un produit adapté à toutes les situations de travail

Avantage

La conception modulaire permet l'utilisation de différentes bases, fixes et portables, et d'un mât en option avec extensions

Caractéristique

Confort et liberté de mouvement

Avantage

Composants légers faciles à stocker, transporter et installer

Caractéristique

Sécurité renforcée

Avantage

Certifié conforme aux dernières exigences de la norme EN 795:2012 classe B

Caractéristique

Fiabilité

Avantage

Treuil pour manipulation de matériaux et/ou montage de ligne de vie comme requis

Descriptif technique

Extérieur

Matière première

Aluminium °+ acier inoxydable + plastique

Dimensions

Taille

372x340x170

Performances

Charge maximum d'utilisation

136 kg

Effort maximal

1 200 daN en tant que système

Poids (kg)

3,2 kg

Température d'utilisation

-30° / +60°

Extérieur

Finition

Anodisation

Performances

Charge de matériaux maximale

300 kg

1



PRODUCT NUMBER: 1034532

DuraHoist Arm

Mobile anchor device upper part



Overview

Reference Number

1034532

Product Type

Fall Protection

Range

Rescue Equipment

Brand

Miller by Honeywell

Brand formerly known as

MILLER

Industry

- Building and Construction
- Maintenance
- Utilities

Product Use

Fall Arrest Device and Rescue System

Features & Benefits

Feature

A product that suits all work situations

Benefit

Modular design allows the use of various fixed and portable bases and an optional mast with extensions

Feature

Comfort and freedom of movement

Benefit

Lightweight, manageable components for easy storage, transport and set-up

Feature

Better security

Benefit

Certified to the last requirements of the EN 795:2012 class B

Feature

Reliability

Benefit

Winch for material handling and/or lifeline system may be mounted as required

Technical Description

External

Raw Material

Aluminum + Stainless Steel + Plastic

Dimensions

Extended Length

0,65m

Retracted Length

0,4m

Size

880x415x195

Performance

Max Working Load

136kg

Maximum Effort

1200daN as a system

Weight (kg)

12,45kg

Operating Temperature

-30° / +60°

External

Finish

Anodising

Performance

Maximum Materials Load

300kgs



PRODUCT NUMBER: 1034534

DuraHoist Arm Extension

1.4m

Lower Extension 1,40m device to change overall mast height



Overview

Reference Number

1034534

Product Type

Fall Protection

Range

Rescue Equipment

Brand

Miller by Honeywell

Brand formerly known as

MILLER

Industry

- Building and Construction
- Maintenance
- Utilities

Product Use

Fall Arrest Device and Rescue System

Features & Benefits

Feature

A product that suits all work situations

Benefit

Modular design allows the use of various fixed and portable bases and an optional mast with extensions

Feature

Comfort and freedom of movement

Benefit

Lightweight, manageable components for easy storage, transport and set-up

Feature

Better security

Benefit

Certified to the last requirements of the EN 795:2012 class B

Feature

Reliability

Benefit

Winch for material handling and/or lifeline system may be mounted as required

Technical Description

External

Raw Material

Aluminum + Stainless Steel + Plastic

Dimensions

Height

1,40m

Size

1620x135x135

Performance

Max Working Load

136kg

Maximum Effort

1200daN as a system

Weight (kg)

11,15kg

Operating Temperature

-30° / +60°

External

Finish

Anodising

Performance

Maximum Materials Load

300kgs