B. N. C. L. Regvird H. x. L. Cap. Shug 8 10.400 kg.



According to the EEC instructions 89/686 dated 21st of December 1989, concerning the standardisation of legislation of all member countries with regard to individual protection systems and the relative legislative decree dated 4th of December 1992, N° 475,

### A.N.C.I. servizi s.r.I. - C.I.M.A.C. section CENTRO ITALIANO MATERIALI DI APPLICAZIONE CALZATURIERA Community Identification N° 0465

grants:

# EC TYPE-EXAMINATION CERTIFICATE **MODULE B - EC TYPE-EXAMINATION** N° 0161/20738/13

for the following model of Personal Protective Equipment for II category:

Low safety shoe art. "OHIO 3 S1P SRC 552011M"

Manufacturer (see notes):

**ERGOS RG SAFETY** 

ROUTE DE SAINT SYMPHORIEN D'OZON, BP 257 69801 SAINT PRIEST CEDEX **FRANCE** 

Vigevano, 14/11/20/13

Responsible of EC certification of Pl of the foot and leg

Pletro Biglia

Technical Responsible Giuseppe Bellotti



## 1. Description of personal protective equipment:

PPE Category: second category

Type of PPE: safety footwear for professional use according to EN ISO 20345:2011 standard

Design: A - Low shoe

Classification: I - Footwear made from leather and other materials, excluding all-rubber or all-

polymeric footwear

Size range: from 38 to 48 (French size)

Identification of last: FIRE

Manufacturing process: Injection

The footwear has a: non m

non metallic toecap cod. "PT 4470P"

metallic penetration-resistant insert cod. "LM 0785"

removable insock cod. "SU ANRN01"







- 2. The tests and the examinations to verify the conformity of the article (in compliance with art. 10 of Directive 89/686/EEC Decision 768/08/EC Module B) are performed applying the following harmonized standards and the Regulation 1907/2006/EC Annex XVII and subsequent amendments and Integrations:
  - EN ISO 20344:2011 Personal protective equipment Test methods for footwear.
  - EN ISO 20345:2011 Personal protective equipment Safety footwear.
  - EN 12568:2010 Foot and leg protectors Requirements and test methods for toecaps and penetration resistant inserts.
- 3. The results of tests and examinations are contained in the following test reports:

C.I.M.A.C.	RP 2013\2454-1-RP-2	dated	14/11/2013
C.I.M.A.C.	RP 2013\2454-1-RP-3	dated	14/11/2013
C.I,M.A.C.	RP 2013\2454-1-RP-4	dated	14/11/2013

#### 4. Requirements of the personal protective equipment:

The low safety shoe art. "OHIO 3 S1P SRC 552011M" complies with:

the basic requirements for safety footwear specified in table 2 of EN ISO 20345:2011 standard;

the additional requirements for special applications specified in table 18 of EN ISO 20345:2011 standard:

(Category S1-P)

- heel area closed;
- antistatic properties;
- energy absorption of seat region;
- penetration resistance of sole complex;
- fuel oil resistant outsole:
- cleated outsole.

The shoe complies whit what prescribed by EN ISO 20345:2011 standard concerning the slip-resistance of the outsole, "SRC" requirement.

The leather and/or textile components of the footwear comply with what prescribed by the Regulation 1907/2006/ECAnnex XVII and subsequent amendments and integrations relating to restrictions on the marketing and use of certain dangerous substances and preparations (azocolourants).

The metallic components coming into direct and prolonged contact with the foot comply with what prescribed by the Regulation 1907/2006/ECAnnex XVII and subsequent amendments and integrations relating to the release of nickel.



#### 5. Marking of the personal protective equipment:

The following information must be reported on the footwear in a durably and indelibly marked:

- the "C €" mark
- date of manufacture (month and year)
- manufacturer's type designation: OHIO 3 552011M
- the number and year of the reference European standard: EN ISO 20345:2011 (see notes)
- the symbols appropriate to the protection provided: S1-P-SRC (see notes)
- manufacturer's identification mark: "ERGOS"
- size.

#### 6. Notes:

- The manufacturer is the one assuming the responsibility of design and fabrication of a product included in the Directive, in order to throw it in the market.
- The marking for the number and year of the reference European standard and the symbols appropriate to the protection provided should be adjacent to one another.
- This EC Type-Examination Certificate must be kept by the manufacturer, in order to produce it, on request, for the control body or safety control administration.
- The content of this EC Type-Examination Certificate is referred to the tested personal protective equipment only.
- This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".
- The manufacturer should inform ANCI Servizi srl Sezione CIMAC for any modification to the product, to the place/process of manufacturing and, if relevant (III category PPE), to the quality system if this compromises the conformity of the product to the essential requirements or other provisions of the Directive 89/686/EEC.
- The manufacturer should report all the complaints relating to the conformity of the certified product to the requirements of the reference harmonized standards and supply these reports on request of ANCI Servizi srl – Sezione CIMAC.
- The manufacturer should implement appropriate corrective actions when nonconforming product to the essential requirements of the EC certification are identified.