

 2058640 copie-HSP-290x325

CODE ARTICLE: 2058640

Therma Welder

Soudage TIG haute dextérité.

Honeywell

 [Afficher Plus](#)

Présentation générale

Numéro de référence

2058640

Type de produit

Gants

Gamme

Protection Thermique

Ligne

Gants de Soudure

Marque

Honeywell

Marque anciennement connue sous le nom de
SPERIAN

Industrie

 Soudure

Utilisation du produit

Soudage TIG haute dextérité.

Descriptif technique

Description

CATEGORIE CE : II Risques intermédiaire

Conformes aux normes :

EN 420-03 : Exigences générales

EN 388-03 : Risques mécaniques

EN 407-04 : Risques thermiques

EN 12477-02 : Soudure type B

DESCRIPTIF :

Gant en cuir fleur de bovin traité anti-chaleur hydrofuge

Coupe américaine, pouce palmé avec jonc, type crispin

Manchette en cuir croûte de 200 mm

Coutures au fil Kevlar®

Technologie des produits

Coupé Cousu

Type de revêtement

Cuir et Kevlar®

Longueur

39 cm

Épaisseur

Dos et paume : 0,8/1,1 mm - Manchette : 1,3/1,5 mm

Innocuité

Conforme aux normes Européennes

Dextérité

Classe 5

Tailles

7 à 11

EN 407 - Chaleur et/ou feu

Comportement et/ou incendie	4
Résistance à la chaleur de contact	1
Résistance à la chaleur convective	3
Résistance à la chaleur rayonnante	X
Résistance aux petites projections de métal	4
Résistance aux projections de métal en fusion	X

EN 388 - Résistance à l'abrasion des dangers mécaniques

Résistance à l'abrasion	2
Résistance à la coupure	1
Résistance au déchirement	2

Résistance à la perforation

1

EN 12477

Gants de protection pour les soudeurs

Type B

Étiquette d'emballage

Étiquetage

CE HONEYWELL

2058640 XX

EN 420

EN 388 : 2121

EN 407 : 413X4X

EN 12477 : Type B

Certifications

Déclaration de conformité CE

EPI catégorie CE

2

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

0075/797/162/02/07/0054

Attestation CE

 EC Attestation

Numéro d'attestation

0075/797/162/02/07/0054

Nous sommes désolés, aucune image n'est disponible pour le moment.

Informations complémentaires

Manuel d'utilisation

UI 111

Fiche d'informations sur l'utilisateur

111

Maintenance

Information de stockage

Conditionnement minimal 1 paires.

Carton de 10 paires.

Instructions d'entretien

Cet article peut être nettoyé. Pour les instructions de lavage, contacter Honeywell Safety Products.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctc@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/02/07/0054 - EXT 01/02/07

To the following model of personal protective equipment :

* protective glove against welding risks .

* reference of the model : 2058640

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 14th, 2007

Update 01 of June 25th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 2058640

Basic Model

Dated : JUNE, 2012

5 fingers heat resistant split leather glove. Flame resistant brushed jersey lining. 14 cm split leather cuff lined canvas.

Available sizes :

08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Grey	heat resistant split leather glove		0,8/1,1mm
	Natural	kevlar thread		
BACK	Grey	heat resistant split leather glove		0,8/1,1mm
	Natural	kevlar thread		
LINING				
CUFF	Natural	Cowsplit leather		1,3/1,5mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 407:2004 - Protective gloves against thermal risks
- * EN 12477:2001/A1:2005 - Protective gloves for welders
- * Innocuousness - At the date of certificate, the product is in compliance with the Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-5914/1	1204-5914/1
Azo		1204-5914/1	
EN 388		1204-5914/1	
EN 407		1204-5914/1 1204-5980	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	2	1

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	1	3	X	4	X

« X » means that the test hasn't been performed ; no protection is required

Performance levels offered for welders (EN 12477:2001 / A1 :2005) are:

In conformity with type B : is recommended when high dexterity is required.




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 2058640
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * reference of the standard for welding glove and the type required
- * information pictogram

Marking example:





Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: Therma Welder

Référence: 2058640

Norme(s): EN 12477, EN 388, EN 407, EN 420

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

0075/797/162/02/07/0054

Délivré par:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Fait en Lyon, le 26/06/2014

Par: Nadine Pipaz

Division: Gants

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 882 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com