



Product Family

Leightning Hi-Visibility Noise Blocking Earmuff




Total visibility, performance and durability

[Learn more about our products at howardleight.com](https://www.howardleight.com)

>

Honeywell
HOWARD
LEIGHT

Product Numbers & Ordering Information

	Product Numbers	Details
	1015021	Leightning Hi-Visibility L1HHV - helmet earmuff SNR 28 H - 31 M - 25 L - 19
	1013942	Leightning Hi-Visibility L2FHV - folding earmuff SNR 32 H - 32 M - 30 L - 24
	1013941	Leightning Hi-Visibility L3HV - headband earmuff SNR 34 H - 33 M - 32 L - 27

Overview

Key Features

- Bright green earcups provide high visibility and contrast
- Reflective padded headband illuminates under light for increased visibility and safety
- Ideal to wear at night, during the day, in low light and under inclement weather conditions
- Patented Air Flow Control™ technology provides optimal attenuation across all frequencies
- Robust steel headband withstands demanding use, especially in tough environments
- Snap-in ear cushions make replacement quick and easy

Recommended Industries/Use

- Construction
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Transportation

Hazards

- Low Visibility
- Noise

Regulations

- 29 CFR 1910.95 - OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 - Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) - Canada Labour Code
- Z94.2-1994 - Attenuation Test Protocol (CAN)
- 2003/10/EC - EU Hearing Directive
- 89/686/EEC - EU Directive/PPE
- NOHSC: 1007 (2000) - National Standard for Occupational Noise (AUS/NZ)
- NR 15 - Security and Health of Work, Annexes 1 and 2, n°3.214/1978 - Occupational Noise Regulations (BR)
- ANSI S12.6/1997 - Method B - Attenuation Test Protocol (BR)

Historical Brand

Bilsom

Warranty Information

There is a one years guarantee against defects in material and workmanship. The guarantee does not cover damage caused by misuse, abuse or unauthorised modifications.

Specifications

Dielectric

- No

Earcup Color

- Bright Green

Headband Earmuff Features

- Padded foam headband delivers long-wearing comfort with minimal pressure on the head • Telescopic height adjustment remains fixed during use

Folding Earmuff Features

- Convenient folding design for easy storage • Folding Earmuff Belt Case also available

Helmet Earmuff Features

- For use with a wide range of hard hats • Earcups snap in place during use and swing back when not in use • Includes pair of hard hat adapters

Certifications

CE Certificate - Leightning Hi-Visibility L2FHV

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earmuffs/19981/1033.aspx

CE Certificate - Leightning Hi-Visibility L2FHV

CE Certificate - Leightning Hi-Visibility L3HV

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earmuffs/19980/1033.aspx

CE Certificate - Leightning Hi-Visibility L3HV

Literature & Documents

EC Attestation Report - Leightning Hi-Visibility L2FHV

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earmuffs/20008/1033.aspx

EC Attestation Report - Leightning Hi-Visibility L2FHV

EC Attestation Report - Leightning Hi-Visibility L3HV

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection/Earmuffs/20007/1033.aspx

EC Attestation Report - Leightning Hi-Visibility L3HV

Earmuff Instruction Poster - EN

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earmuffs/19757/1033.aspx