

Product Datasheet model uvex x-fit pro guard 9199 680

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- functional, modular safety spectacle with a wide range of accessories
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- adjustment for every head and facial shape with the optional uvex Comfort Slider - a multi-stage temple inclination that allows wearers to achieve their own comfortable wearing position
- modular system allows functional accessories to be attached enhancing the ability to get on with the job
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – both sides scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free

2. Technical Details Body

Side arms

Material	ABS /TPE
Colour	blue, anthracite

Extra frame

Material	PC/PBT / EVA
Colour	black
Art. No. replacement frame	9199001

Marking

Model No.	9199
Manufacturer 's ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

3. Technical Details Lens


Lens

Material	PC
Thickness	1,9 mm at PD
Coating	uvex supravision excellence
Colour	clear
UV protection	UV400

Nose Pad





Material	TPE
Colour	anthracite

Marking

Filter	2C-1,2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	30g		
Dimensions (L x W x B) in approx. mm			
	155 x 145 x 40		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN Code	4031101821702	4031101821702	4031101821702
Quantity in pcs.	1	10	160
Dimensions (L x W x H) in approx. mm			
	65 x 158 x 58	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	30	300	4,800
Gross weight in approx. g	44	545	9,600
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II