

# TC716



SPLIT COWHIDE WELDER'S GLOVE - 15-CM CUFF Ref. TC716





### Product specifications

High quality cowhide split leather. American assembly. 15 cm cuff. Length: 35 cm.

Upper cowhide split leather.

**COLOUR** 

Grey

SIZE

09, 10, 11

#### Product Use - Risks



Heat



Wearing



Heavy industry



Product's highlights & user's benefits					
100°C					
<ul> <li>Very good</li> </ul>	nt welder gloves: mechanical resistance stant, heat resistant and big al spray				
15-cm heat • Forearm p	resistant split cuff : rotection				
Also availab DPTC715	le with header card				



# Certifications and Standards



# **RÈGLEMENT (UE) 2016/425**

#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

#### EN388:2016



- 4: Resistance to abrasion (from 1 to 4)
- 1: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

# EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)



- 4: Resistance to flammability (from 1 to 4)
- 1: Resistance to contact heat (from 1 to 4)
- 3: Resistance to convective heat (from 1 to 4)
- X: Resistance to radiant heat (from 1 to 4)
- 4: Resistance to small projections of liquid metal (from 1 to 4)
- X: Resistance to large projections of molten metal (from 1 to 4)

## EN12477:2001/A1:2005 Protective gloves for welders

TYPE A: Welding - Other welding processes - less dexterity - Type A

References						
References	Bar code	COLOUR	SIZE	9	À	
TC71609	3295249181000	Grey	09	120	12	
TC71610	3295249181017	Grey	10	120	12	
TC71611	3295249181079	Grey	11	120	12	