## AlphaTec® 38-514

# TECHNICAL DATASHEET

### **Butyl/VITON**

Print date 24-05-2019

#### **Glove material**

Butyl polymer (Coating material)

#### **Possible Harmful ingredients**

Sensitizers

- 2-Mercaptobenzothiazole disulfide
- Dipentamethylene thriuram disulfide
- Tetramethylthiuram disulfide

Only a very small number of users may be sensitised to this ingredient in the glove and hence may develop irritant and/or allergic contact reactions.

#### Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

#### **Properties**

- Excellent physical properties
- Good dexterity

#### **EN Test Data**

Liquidproofness:

Acceptable Quality Level 1.5 or EN performance level 2

### **Chemical permeation:**

For more information on chemical permeation, please consult Ansell website

	а	b	С	d	е	f
EN388:2003	1	0	0	0		
EN388:2016	1	0	0	0	Х	

#### **European conformity**

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN388:2003, EN374:2003 micro organism,

EN374:2003 chemical resistant, EN ISO 374-1:2016 A, EN ISO 374-5:2016 Micro organisms, EN388:2016.

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

Centexbel Technologiepark 7

B-9052 Zwijnaarde

#### Application - Limitations of use

Do not use against flames or temperatures < -  $25^{\circ}$ C or >  $100^{\circ}$ C Hand protection

#### Storage

Keep away from sources of ozone or ignition.
Keep out of direct sunlight; store in a cool and dry place.

Coating material	Grip design	Cuff style	Colour	AQL	EN Sizes	Length (mm)	Packaging
Butyl polymer	Rough Finish	Rolled beaded	Black	1.5	7,8,9,10,11	350	36 pairs in a carton;
							individually wrapped with
							insert

