



PRODUCT NUMBER: 1028456

Quiet (Uncorded)

Easy handling and a better fit

[Learn more about our products at howardleight.com](https://www.howardleight.com)

>



Overview

Reference Number

1028456

Product Type

Hearing Protection

Range

Earplugs

Line

Reusable Earplugs

Brand

Howard Leight by Honeywell

Brand formerly known as

HOWARD LEIGHT

Industry

- Industry • Administration • Agriculture • Army - Defence • ATEX environment
- Automotive and Part Manufacturer • Aviation • Building and Construction • Catering
- Chemical Industries • Energy or Electricity • Fire Protection brigades • Fishing • Food Industries
- Foundry • Glass Industries • Green Spaces • Homeland defense • Industrial Cleaning
- Iron and steel industry • Laboratory • Logistics • Maintenance • Medical and Pharmaceutical
- Metal steel • Mining and Quarrying • Offshore • Paper Industries • Petro-chemical
- Printing Industries • Services • Ship Building • Telecoms • Textile Industries • Transportation
- Utilities • Water treatment • Welding • Wood Industries

Product Use

Multiple-Use Earplug

Features & Benefits

Feature

NO-ROLL DESIGN Easy to handle and fit in the ear canal. **BUILT-IN INSERTION STEM** Makes insertion quick and easy. **CONTOURED SHAPE** Comfortably matches contours of the ear canal. **SMOOTH, NON-IRRITATING SKIN** Provides all day comfort, easy to clean for long-term use.

Benefit

For great protection and comfort from a reusable earplug, Quiet provides consistent attenuation for all-day wear. Quiet requires no rolling – its built-in flexible stem adds in ease of insertion and immediate comfort. Its smooth, non-irritating skin provides all-day comfort and is easy to clean up with soap/water for extended wear.

Technical Description

SNR (dB)

28

H (dB)

29

M (dB)

25

L (dB)

23

Attenuation Data

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	26.1	29.0	28.8	29.1	29.5	33.1	43.3	44.5
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	6.1	6.9	6.4	7.2	5.1	5.3	6.9	3.4
Assumed Protection (dB) Angenommener (dB) Protection supposé (dB)	20.0	22.1	22.4	21.9	24.4	27.8	36.4	41.1

Size

Regular

Color

Orange

Shape

bell

Other Material

Foam

Corded

No

Weight (grs)

1.06

Design Patents

Earplug w/Insertion Stem

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

152

EC Attestation

EC Attestation

EC Attestation Number

930992

Additional Information

User Manual

Instruction Manual - Quiet (global)

Maintenance

Life Cycle

We recommend replacement every 2-4 weeks.

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Our reusable earplugs may be washed in warm water and allowed to air dry. Washing may be repeated several times, but we recommend replacement every 2-4 weeks. Hydrocarbon based solvents, such as alcohol, should not be used to clean reusable ear plugs. The use of such solvent based cleaners may cause reusable plugs to soften, swell, and weaken with time. Additionally, with extended use, reusable plugs must be regularly inspected for serviceability.

Packaging

UPC Code/Box

033552005704

UPC Code/Case

10033552005701

Packaging Specs Individual Box

Reusable Case

Unit of Measure

Pair

Quantity per Box/Pack/Case

50 Pairs per Box / 10 Boxes Per Carton

Quantity per Carton

500 Pairs

Quantity for Minimum Order

500 Pairs

Country of Origin

United States