



PRODUCT NUMBER: 1032872

# Miller H-Design® Duraflex™2 pts harness Auto 2 loops- Size

2

Miller H-Design® Duraflex™ 2 points harness with 2 webbing loops at the front and automatic buckles on chest and legs straps. Size 2

Honeywell

## **Overview**

#### **Reference Number**

1032872

#### **Product Type**

Fall Protection

### Range

Harness

#### **Brand**

Miller by Honeywell

#### Industry

Building and Construction

General Industry

Utilities

#### **Product Use**

The Miller H-Design® harnesses are the new generation of harnesses dedicated to construction and general industry sectors providing more comfort, freedom of movements and safety to workers.

Telecoms

## **Features & Benefits**

Shoulder Straps: Duraflex Stretch 44,5 mm webbing PES with PTFE treatment (water repellent / anti stain) Colour: green with a black drawing Breaking strength: > 2200 daN

Other Straps: Standard black webbing 44 mm PES with PTFE treatment (water repellent / anti stain) Breaking strength:> 2700 daN

#### **Feature**

Back Anchorage D-ring: Material: steel Finish: Zinc plated Silver Breaking strength: > 2300 daN

#### **Feature**

Sternal anchorage point : long webbing loops.

#### **Feature**

Aluminium automatic buckles: Breaking strength: > 900 daN

## Miller H-Design Duraflex 2 pts auto 2 loops 1032872

**Feature** 

Steel mating buckles: Finish: Zinc plated Silver Breaking strength:> 900 daN

Feature

Weight: 1,10 Kgs. Breaking strength:> 15 KN Temperature: -30°C to +50°C EN 361 Full Body Harnesses

Feature

Certified for a maximum load of 140 kgs.

## **Certifications**

E.C. Declaration of Conformity

**EC Category PPE** 

3

**Quality Assurance** 

ISO 9001 / 2000

**EC** Attestation

EC Type examination certificate 1032870-1032871-1032872-1032873

**EC Attestation Number** 

0082/490/160/05/14/0150

Certifications

• EN 361

## **Literature & Documents**

1032870-1032871-1032872-1032872 Data Sheet EN http://www.honeywellsafety.com/supplementary/documents\_and\_downloads/fall\_protection/full\_body\_harness/4294983958/1033.aspx

## **Additional Information**

**User Manual** 

NT90023600 IND B

## **Maintenance**

## Life Cycle

Life expectancy of our harnesses is 10 years from the date of manufacture.

## Storage Information

Some factors can contribute to reduce the performance or life expectancy of the product:

- · Incorrect stocking
- Incorrect use

## Miller H-Design Duraflex 2 pts auto 2 loops 1032872

- Stopping a fall
- Mechanical deformation or cut
- Contact with chemical products (an acid or a base)
- Exposure to extreme heat sources > 60°C
- Exposure to UV rays

### **Care Instructions**

Please remember that:

- the product must be checked at least once a year by a qualified person. This inspection must be registered.
- before each use, the product must be visually inspected by the user.

The compulsory annual inspection will be the deciding factor as to whether your PPE should be put back into service or not.

## **Packaging**

**EAN Code** 

63079098

**Country of Origin** 

France

© Honeywell International Inc.