



PRODUCT NUMBER: 2012847

FOUNDRY LINED

Welding.

Honeywell

Overview

Reference Number

2012847

Product Type

Gloves

Range

Thermal Protection

Line

Welding gloves

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Foundry
- Iron and steel industry
- Metal steel
- Ship Building
- Transportation
- Utilities
- Welding

Product Use

Welding.

Features & Benefits

Feature

Cowhide heat-resistant leather glove
Gunn cut, sewn-on thumb, gauntlet type
Cotton/viscose hand liner
Cotton cuff liner
Non-flammable foam lining
Jersey knitted glove

Benefit

COMFORT

The hide leather is ideal for welder's gloves.

The US assembly, winged thumb and flexible materials used make this glove anatomical, thus providing excellent comfort for use.

The cotton fleece and viscose lining increase the glove's touch.

RESISTANCE

Split leather treated against the heat for excellent resistance to contact and radiant heat.

The Kevlar® thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation.

SAFETY

The cut protects a large part of the forearm.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

EN 407-04 Thermal Hazards

EN 12477-2002 type B Welding hazards

CHARACTERISTICS :

Water-repellent and heat resistant cowhide split leather glove

Gunn cut, sewn on thumb, gauntlet type

Hand lined with 4 mm flame resistant foam laminated on flame and heat resistant jersey

180 mm grain leather cuff lined with cotton canvas

Stitch with Kevlar® thread

Product Technology

Cut and Sewn

Coating Type

Leather, Kevlar®, Jersey and cotton

Length

38,5 cm

Thickness

1,3/1,4 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 4

Sizes

8-11

EN 407 - Heat and/or Fire

Behaviour and/or fire	4
Resistance to contact heat	1
Resistance to convective heat	3
Resistance to radiant heat	X
Resistance to small metal splashes	4
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1

Tear resistance	3
Puncture resistance	3

EN 12477

Protective gloves for welders	Type B
-------------------------------	--------

Packaging Label

Tagging

CE HONEYWELL

2012847 XX

EN 420

EN 388 : 3243

EN 407 : 413X4X

EN 12477 B

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/02/07/0041

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 50 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.