



PRODUCT NUMBER: 2032681

ARATHERMA COMFORT

For handling of sharp and hot objects in a dry atmosphere. Glass industry and paper. Automobiles, car equipment manufacturers.

Honeywell

Overview

Reference Number

2032681

Product Type

Gloves

Range

Thermal Protection

Line

Heat

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry
- Automotive and Part Manufacturer
- Glass Industries
- Iron and steel industry

Product Use

For handling of sharp and hot objects in a dry atmosphere. Glass industry and paper. Automobiles, car equipment manufacturers.

Features & Benefits

Feature

100 % Kevlar® knitted glove
Lined with 100% cotton knitted glove
150 mm green fireproofed canvas cuff
Ambidextrous

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. Kevlar® glove lined with a cotton glove, pleasant to the touch.

The reinforced lining enhances the glove's mechanical performance while absorbing perspiration.
 It is ambidextrous and thus more cost-effective.
 The glove's relative thickness (gauge 7) helps to absorb shocks, making it suitable for the handling of heavy objects.

RESISTANCE

The Kevlar® fibre offers good resistance to cuts and protection against thermal hazards (contact heat).
 Glove endowed with a fire retardant canvas (150mm), thus extending protection of the forearm.
 Withstands 18.5 seconds at 250°C and 13.3 seconds at 350°C

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 100 % Kevlar® knitted glove
 Lined with 100% cotton knitted glove
 150 mm green fireproofed canvas cuff
 Ambidextrous

Product Technology

Knitted

Gauge

7

Coating Type

Kevlar®

Length

37 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 2

Sizes

Unique size

EN 407 - Heat and/or Fire

Behaviour and/or fire	4
Resistance to contact heat	3
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance (Coupe test)	4
Tear resistance	3
Puncture resistance	X

Packaging Label

Tagging

CE HONEYWELL
 2032681 XX
 EN 420

EN 388 : 143X
EN 407 : 43XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/09/08/0326

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/09/08/0326

Additional Information

User Manual

UI 106

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 50 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.