



**PRODUCT NUMBER: 2058640**

## Therma Welder

TIG welding with high dexterity.

**Honeywell**

### Overview

**Reference Number**

2058640

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Welding gloves

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Welding

**Product Use**

TIG welding with high dexterity.

### Features & Benefits

**Feature**

Black water-repellent heat resistant cowhide grain leather glove  
Gunn cut, winged thumb with yoke, crispin type  
200 mm split leather cuff  
Stitch with Kevlar® thread

**Benefit**

**COMFORT**

Its leather is ideal for welders' gloves.

The US assembly, winged thumb and flexibility of the leather make this glove anatomical, thus enabling precision work.

**RESISTANCE**

The grain leather heat resistant offers good heat resistance and insulation.  
 The Kevlar® thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation.  
 The water repellent treatment allows a use in wet environment.

#### SAFETY

The 200 mm split leather cuff protects a large part of the forearm against mechanical hazards.

## Technical Description

#### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

EN 407-04 Thermal hazards

EN 12477-02 Welding Type B

#### CHARACTERISTICS :

Black water-repellent heat resistant cowhide grain leather glove

Gunn cut, winged thumb with yoke, crispin type

200 mm split leather cuff

Stitch with Kevlar® thread

#### Product Technology

Cut and Sewn

#### Coating Type

Leather and Kevlar®

#### Length

39 cm

#### Thickness

Back and pal : 0,8/1,1 mm - 1,3/1,5 mm

#### Harmlessness

In conformity with European standards

#### Dexterity

Class 5

#### Sizes

7 to 11

### EN 407 - Heat and/or Fire

Behaviour and/or fire	4
Resistance to contact heat	1
Resistance to convective heat	3
Resistance to radiant heat	X
Resistance to small metal splashes	4
Resistance to molten metal splashes	X

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

## EN 12477

Protective gloves for welders

Type B

## Packaging Label

**Tagging**

CE HONEYWELL

2058640 XX

EN 420

EN 388 : 2121

EN 407 : 413X4X

EN 12477 : Type B

**Certifications****E.C. Declaration of Conformity****EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/02/07/0054

**EC Attestation**

EC Attestation

**EC Attestation Number**

0075/797/162/02/07/0054

**Additional Information****User Manual**

UI 111

**User Information Sheet**

111

**Maintenance****Storage Information**

Minimum packaging 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions please contact Honeywell Safety Products.