



**PRODUCT NUMBER: 2100251**

## **WORKEASY BLACK BLACK**

Handling of fine products in a dry, slightly greasy or soiled environment.

**Honeywell**

### Overview

**Reference Number**

2100251

**Product Type**

Gloves

**Range**

General purpose

**Line**

Precision work

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of fine products in a dry, slightly greasy or soiled environment.

### Features & Benefits

**Feature**

100% black polyester knitted glove

Black polyurethane coating on palm and fingertips

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

#### RESISTANCE

The polyester and its polyurethane coating provide a good abrasion and tear resistance.  
The PU coating ensures a good grip.

#### SAFETY

Non pilling, the polyester fiber is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

#### HYGIENE

Its dark colour makes it more soilproof, thus ensuring a longer life.

## Technical Description

#### Description

CE CATEGORY : II Intermediary risks  
In accordance with standards :  
EN 420-2003 Basic standard  
EN 388-2003 Mechanical risks

#### CHARACTERISTICS :

100% black polyester knitted glove  
Black polyurethane coating on palm and fingertips

#### Product Technology

Knitted Coated

#### Gauge

13

#### Glove/liner color

Black

#### Coating Type

Polyester and polyurethane

#### Length

25 cm

#### Harmlessness

In conformity with the European standards.

#### Dexterity

Class 5

#### Sizes

7 to 10

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

### Packaging Label

#### Tagging

CE HONEYWELL  
2100251 XX  
EN 420  
EN 388 : 3121

## Certifications

E.C. Declaration of Conformity

EC Category PPE

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/08/09/0300

**EC Attestation**

EC Attestation

**EC Attestation Number**

0075/797/162/08/09/0300

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.