



PRODUCT NUMBER: 2132245

**PERFECT CUTTING® GREY FIRST**

Handling sharp parts in a dry or greasy environment.

Overview

**Reference Number**  
2132245

**Product Type**  
Gloves

**Range**  
Cut and Puncture Protection

**Line**  
Cut resistant

**Brand**  
Honeywell

**Brand formerly known as**  
SPERIAN

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

Handling sharp parts in a dry or greasy environment.

## Features & Benefits

### Feature

White Dyneema®/lycra® knitted glove  
Grey polyurethane coating on palm and tips of fingers  
Elastic wrist made of composite

### Benefit

#### COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Dyneema® touch gives an added sensation of comfort.

The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The glove's ventilated back optimises its breathability.

#### RESISTANCE

The Dyneema®/lycra® thread provides outstanding properties against cuts.

The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.

Caution! Do not expose this glove to the heat.

#### HYGIENE

Its white colour enhances the glove's hygiene and cleanliness.

Its grey coating enables work in a slightly soiled environment.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

#### CHARACTERISTICS :

White Dyneema®/lycra® knitted glove

Grey polyurethane coating on the palm and fingertips

Elastic wrist made of composite

### Product Technology

Knitted Coated

### Gauge

13

### Glove/liner color

White and grey

### Coating Type

Dyneema® / composite and lycra®

### Length

23,5 cm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

6 to 10

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	2

## Packaging Label

### Tagging


CE SPERIAN

2132245 XX

EN 420

EN 388 : 4342

### Certifications

 E.C. Declaration of Conformity

### EC Category PPE

2

### Quality Assurance


ISO 9001 / 2000

### EC Attestation

### EC Attestation Number

Waiting for certification number

### Photos & Images

 PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/79c05abaff2c4d80b138c66dd50b74d5.jpg>

### Additional Information

### User Manual

UI 102

**User Information Sheet**

102

**Maintenance**

**Storage Information**

Minimum packaging 10 pairs.  
Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Sperian Protection.

---

**Honeywell**

[View other region sites](#)  
© 2011 Honeywell International Inc.



# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**  
Honeywell Safety Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: PERFECT CUTTING® GREY FIRST

Reference: 2132245

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 29/03/2013

**By:** Eric Puille

**Division:** Gloves

**HONEYWELL SAFETY PRODUCTS EUROPE**

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 882 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)