



PRODUCT NUMBER: 2232245  
**PERFECT CUTTING® GREY**  
Handling sharp parts in a dry or greasy environment.

Overview	
	<b>Reference Number</b> 2232245
	<b>Product Type</b> Gloves
	<b>Range</b> Cut and Puncture Protection
	<b>Line</b> Cut resistant
	<b>Brand</b> Honeywell
	<b>Brand formerly known as</b> SPERIAN
	<b>Industry</b> <div>● Automotive and Part Manufacturer ● Aviation ● Building and Construction ● Catering ● Energy or Electricity ● Glass Industries ● Logistics ● Maintenance ● Metal steel ● Paper Industries ● Services ● Telecoms ● Transportation ● Utilities</div>
	<b>Product Use</b> Handling sharp parts in a dry or greasy environment.

## Features & Benefits

### Feature

White Dyneema®/lycra® knitted glove  
Grey polyurethane coating on palm and tips of fingers  
Elastic wrist

### Benefit

#### COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Dyneema® touch gives an added sensation of comfort.

The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The glove's ventilated back optimises its breathability.

#### RESISTANCE

The Dyneema®/lycra® thread provides outstanding properties against cuts.

The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.

Caution! Do not expose this glove to the heat.

#### HYGIENE

Its white colour enhances the glove's hygiene and cleanliness.

Its grey coating enables work in a slightly soiled environment.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

#### CHARACTERISTICS :

White Dyneema®/lycra® knitted glove

Grey polyurethane coating on the palm and fingertips

Elastic wrist

### Product Technology

Knitted Coated

### Gauge

13

### Glove/liner color

White and grey

### Coating Type

Dyneema® and lycra®

### Length

23,5 cm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

6 to 10

## EN 388 - Mechanical Hazards Abrasion Resistance


Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	2

## Packaging Label

### Tagging

CE SPERIAN  
2232245 XX  
EN 420  
EN 388 : 4342

### Certifications

 E.C. Declaration of Conformity

#### EC Category PPE

2


#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/01/12/0055- EXT. N° 01/11/06


#### EC Attestation

 EC Attestation

#### EC Attestation Number

0075/797/162/01/12/0055

### Photos & Images

 PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/79c05abaff2c4d80b138c66dd50b74d5.jpg>

### Additional Information

#### User Manual

UI 102

**User Information Sheet**

102

**Maintenance**

**Storage Information**

Minimum packaging 10 pairs.  
Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Sperian Protection.

---

**Honeywell**

[View other region sites](#)  
© 2011 Honeywell International Inc.





In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z  
- TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/12/0055

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 2232245
- \* responsible for placing on the market :

## HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 19th, 2012

Update 01 of June 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 2232245

Basic Model

Dated : JUNE 2012

Knitted glove with dyneema / lycra yarns. PU coating in grey color, on the palm and fingertips. Elastic wrist 60mm + overlock: T06-green, T07-red, T08-blue, T09-yellow, T10-white.

### Available sizes :

06      07      08      09      10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Natural	Dyneema/lycra	13	
	Grey	PU		1,1mm
BACK	Natural	Dyneema/lycra	13	
LINING				
CUFF	Natural	Dyneema/lycra	13	
	white	elastic rubber	13	
BINDING	green/red/blue/yellow/white	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1110-14313/1	
Azo		1008-10045/2 1110-14313/1	
EN 388		1003-3026/1 1106-8215/1	1106-7634/1 1110-14313/1 1112-17018/1

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	2

The levels of performance have been measured on the palm




### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 2232245
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





## E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**  
Honeywell Safety Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: PERFECT CUTTING® GREY

Reference: 2232245

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**  
0075/797/162/01/12/0055- EXT. N° 01/11/06

**Delivered by:**

CENTRE TECHNIQUE DU CUIR  
4 rue Hermann Frenkel  
69367  
Lyon Cedex 07

Drawn up in Lyon, on the 29/03/2013

**By:** Nadine Pipaz

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 750 000 € - Siret 348 882 307 00137  
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France  
Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80  
[www.honeywellsafety.com](http://www.honeywellsafety.com)