



PRODUCT NUMBER: 2332255

Check & Go Red PU 1

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

Honeywell

Overview

Reference Number

2332255

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Industry

• Administration • Automotive and Part Manufacturer • Aviation • Maintenance • Services

Product Use

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

Helps to provide safety managers with visual recognition of the cut protection level

Features & Benefits

Feature

100% Nylon knitted glove

Red PU coating on the palm and fingers

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance.

The PU coating ensures a good grip.

SAFETY

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.

Non pilling, the polyamide is suitable for precision work.

The gloves are certified as "silicone-free" to ensure their use in painting.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standard

EN 388-2016 Mechanical risks

CHARACTERISTICS

100% Nylon knitted glove

Red PU coating on the palm and fingers

Product Technology

Knitted Coated

Fiber

Polyamide

Gauge

13

Glove/liner color

White

Coating Type

Polyurethane

Coating Color

Red

Length

25 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	X
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	A

Certifications

E.C. Declaration of Conformity**EC Category PPE**

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/05/18/1002 EXT 01/05/18

EC Attestation
CE Certificate

Additional Information

User Manual
UI 202

Maintenance

Storage Information

Minimum packaging : 10 pairs.
Cartons of 100 pairs.

Care Instructions

This article can be cleaned at 40°C without risk of damaging the mechanical performances.