



**PRODUCT NUMBER: 2332265**

## Check & Go Red Nit 1

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

**Honeywell**

### Overview

**Reference Number**

2332265

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

**Product Use**

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

Helps to provide safety managers with visual recognition of the cut protection level

### Features & Benefits

**Feature**

White polyamide knitted glove

Red oilproof nitrile coating on palm and fingertips

Elastic knitted wrist

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back improves the glove's breathability.  
The knitted and elasticated wrist gives the glove good support.

#### RESISTANCE

The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

#### SAFETY

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.

## Technical Description

#### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

#### CHARACTERISTICS :

White polyamide knitted glove

Red oilproof nitrile coating on palm and tip of fingers

Elastic knitted wrist

#### Product Technology

Knitted Coated

#### Fiber

Polyamide

#### Gauge

13

#### Glove/liner color

White

#### Coating Type

Nitrile

#### Coating Color

Red

#### Length

25 cm

#### Thickness

0,25 mm

#### Harmlessness

In conformity with the European standards.

#### Dexterity

Class 5

#### Sizes

7 to 11

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

### Packaging Label

#### Tagging

CE HONEYWELL

2332265 XX

EN 420

EN 388 : 4121

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/01/08/0008 EXT01/10/13

#### EC Attestation

AET 2332265 Update 01

#### EC Attestation Number

0075/797/162/01/08/0008 EXT01/10/13

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Maintenance

### Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned at 40°C without risk of damaging the mechanical performances.