



PRODUCT NUMBER: 4150057

# Armcut 14 BT

Protection of the forearm against cuts.

Honeywell

Overview

**Reference Number**

4150057

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry ■ Automotive and Part Manufacturer ■ Building and Construction
- Glass Industries ■ Iron and steel industry ■ Metal steel ■ Paper Industries
- Ship Building ■ Wood Industries

**Product Use**

Protection of the forearm against cuts.

## Features & Benefits

### Feature

2 ply Kevlar® thread knitted sleeve  
Tip of the sleeve stitched like a mitten  
Thumbhole

### Benefit

#### COMFORT

The knitting technique helps to obtain a cuff close to the hand, with good dexterity.  
The glove offers maximum comfort and added sturdiness.  
The reinforced thumb gives the cuff better support.

#### RESISTANCE

The Kevlar fibre offers good cutting resistance and protection against thermal hazards (contact with heat).  
Doubly thick, the cuff's mechanical and thermal performance is greater.

#### SAFETY

Its length of 36cm ensures vast protection of the forearm.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks  
In accordance with standards :  
EN 420-03 EEC Basic standards  
EN 388-03 Mechanical hazards  
EN 407-04 Thermal hazards

#### CHARACTERISTICS :

2 ply Kevlar® thread knitted sleeve  
Tip of the sleeve stitched like a mitten  
Thumbhole

### Product Technology

Knitted

### Gauge

10

### Coating Type

Kevlar®

### Length

36 cm

### Harmlessness

In conformity with the European standards

### Sizes

Unique size

## EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance	3
Tear resistance	2
Puncture resistance	X

## Packaging Label

### Tagging

CE HONEYWELL

4150057 XX

EN 420

EN 388 : 132X

EN 407 : X1XXXX

### Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/07/12/0584

**EC Attestation**

 EC Attestation

**EC Attestation Number**

0075/797/162/07/12/0584

We're sorry, there are no images available at this time.

**User Manual**

UI 106

**User Information Sheet**

106

Additional Information

**Storage Information**

Minimum packaging 10 units.

Cartons of 100 units.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

Maintenance