



PRODUCT NUMBER: 4503000

SPACEL 3000 RA / EBJ

Liquid tight coverall designed to protect workers from chemicals. Its new ergonomics offer a better fitting and protection. Model with elasticated wrists and ankles; double adhesive flap and welded zipper.

Honeywell

Overview

Reference Number

4503000

Product Type

Protective Clothing

Range

Disposable Clothing

Line

Disposable

Brand

Honeywell

Industry

- Chemical Industries
- General Industry
- Industrial Cleaning
- Maintenance
- Medical and Pharmaceutical
- Offshore
- Petro-chemical
- Utilities

Product Use

Chemistry, petrochemistry, in-shore/off-shore oil industry, industrial maintenance, pharmaceutical industry, spoiled beach cleaning, transportation of hazardous materials, industrial sub-contracting cleaning, sanitation, waste processing, emergency services.

Features & Benefits

Feature

Enhanced protection

Benefit

Double adhesive flap Welded zipper Very good abrasion, tear and puncture resistance Watertight due to "Spaseal" welding, an exclusive Honeywell Safety Product process

Feature

Ergonomics

Benefit

New design for better comfort and safety Raw material elongation up to 400% Elasticated hood, waist, wrists and ankles

Feature

Double adhesive flap Sealed zipper

Benefit

Ensures safety

Feature

Long bust, arms, and legs

Benefit

Ensures safety

Feature

Yellow colour

Benefit

better visibility

Technical Description

Description

Three-layered yellow polyethylene film

Gender

Unisex

Size

From S to XXXL - International size

Table Size

Table size

Color

Yellow

Thickness

100µ

Composition

Three-layered yellow polyethylene film

Type of Protection

• 3 • 4 • 5 • 6b

Performance

Excellent liquid resistance High chemical resistance Elongation up to 400% Double adhesive flap

Limitation of use

This product is a single use garment. The user can wear this garment in association with other equipments (shoes, gloves, glasses, masks...). Do not use the overalls when there is a defect. When the closing system is faulty, the seams open or any other defects which appear.

Warning

The choice and use of personal protective equipment must comply with the European Directive No. 89/656/CEE of 30/11/1989. The employer must have previously analyzed and assessed the risks linked to intervention and to those generated by the use of the personal protective equipment selected.

Certifications

E.C. Declaration of Conformity**EC Category PPE**

3

EC Certificate Number

03310347

EC Attestation

EC Attestation

EC Attestation Number

03310347

Additional Information

User Manual

Spacel 3000 and 4000 User guide - indice f - 15 October 2012

Maintenance

Life Cycle

Disposable item. To be discarded after use. Do not reuse this item.

Storage Information

-10°C to + 40°C in its original packaging and carton, optimal product use is ensured 3 years after manufacturing.

Care Instructions

To be discarded after use.

Packaging

Quantity per Carton

25 pcs