Honeywell



PRODUCT NUMBER: 6246157

BACOU PEAK AMG S3 CI SRC

Water resistant oiled leather & textile panels ankle boot. PU2D outsole injected. SRC certified. 200J Spacium™ toe cap in injected polymer. Flexium™anti-puncture sole. Complies with EN ISO 20345:2011 standard.

Overview

Reference Number

6246157

Product Type

Footwear

Range

Bacou Original Free

Brand

Honeywell

Brand formerly known as

BACOU

Industry

- Building and Construction
 General Industry
 Logistics
 Maintenance
- Transportation
 Utilities

Product Use

• Safety shoes for professional use.

Features & Benefits

Feature

EN ISO 20345:2011 certified. SRC certified.

6246157-BACOU PEAK AMG S3 CI SRC

Benefit

Ensures better protection.

Feature

Water resistant oiled leather & textile panels ankle boot.

Benefit

Resistant to tearing and spattering of fluids: extended life cycle

Feature

Poromax® lining

Benefit

Breathable, 3D absorbent & quick-dry interior lining

Feature

Reinforced protection at the front and back

Benefit

Improved resistance and protection

Feature

Flexium™ anti-puncture midsole: non-metallic, made with high tenacity textile fibres

Benefit

The midsole is light and flexible. No constraints for the wearer when flexing the foot

Feature

Lateral watertight bellows

Benefit

Prevents liquid and dust from entering the shoe

Feature

Padded ankle collar and tongue

Benefit

Adapts to the user's foot shape, ensures comfort when worn for long periods

Technical Description

Sizes

EU: 35 - 49 / UK: 3- 13,5

Table Size

table_size_2749_id_2576

Midsole

Flexium ™ anti-puncture midsole in high tenacity textile.

Upper

Water resistant oiled leather & textile panels ankle boot. Reinforced protection at the front and back. Poromax® lining with 3D antibacterial and antimicrobial structure. Lateral watertight bellows. Padded ankle collar and tongue.

6246157-BACOU PEAK AMG S3 CI SRC

Toe Cap

200J SPACIUM™ toe cap in injected polymer. Non-metallic: 50% lighter than steel. Extra-wide for greater comfort: suits all foot types. Non magnetic. Thermal insulator. Unalterable.

Insole

Dual density PU foam for intensive use. Removeable for easy care. Antibacterial for a longer life span and to prevent odour. Antistatic for optimal efficiency. Comfortable heel pads. Evacuation channels. The Bacou X'Max Black Insole (ref 6000350) can be sold separately. Available from 1 unit (by pair) in an individual packaging

Outsole

Dual density polyurethane: PU 2D. Comfort layer of density: 0.5 (guarantees lightness and flexibility, ensures shock absorption and protects against changes in temperature). Outsole layer of density: 1 (resistance to abrasion, fuel oil and grease). High slip resistance due to well defined cleat design, wide, deep and self-cleaning. SRC certified: SRA: on ceramic plates: flat 0,45 (minimum standard: 0,32) heel 0,46 (minimum standard: 0,28) / SRB: on steel floor: flat 0,24 (minimum standard: 0,18) heel 0.24 (minimum standard: 0.13). Energy absorption capacity > 20 joules. Excellent resistance to abrasion: volume loss < 150 mm3 (with a load of 10 N = 1 kg). Extension before tearing: 650%. Optimised resistance to repeated flexing > 60,000 (standard >30,000). Resistant to acids and alkalis: limited to low concentrations.

Additional Features

- CI
- SRC

Certifications



EC Category PPE

Quality Assurance

ISO 9001 / 2008

EC Certificate Number

0075/797/161/04/12/0262 ext 29/09/12

EC Attestation



6246157-BACOU PEAK AMG S3 CI SRC

REACH

EU Regulation 1907/2006 (REACH) Compliance

The substance(s) listed below may be contained in this product above the trashold level of 0.1% by weight of the listed article.

Product Reference Sold in Europe	Substance > 0.1%
Substance Name	CAS Number
No Substance Content	

Photos & Images

We're sorry, there are no images available at this time.

Additional Information

User Manual

User Instruction EN ISO 20345 2011-Footwear-Honeywell-032012

Maintenance

Life Cycle

- We advise that the footwear should be used in the limit of 3 years following the manufacturing date, which figures on the footwear.
- After this time limit, certain factors such as: exposure to sunlight, hydrometry, temperature changes, could cause a modification in the structure of the material, which would no longer maintain the same performance levels with regards to the requirements defined in the European Directive 89.686 CEE.

Storage Information

• Footwear should be stored in their original packaging, kept in a controlled stock area, not subject to rapid changes in temperature or humidity levels.

Care Instructions

- After use leave your footwear to dry in an aired place away from heat.
- Remove any excess dust or dirt with a brush. Remove any marks using a damp cloth and soap if necessary.
- Finally polish any grain or pigmented leathers using a commercially available shoe care product.

Honeywell

View other region sites © 2011 Honeywell International Inc.



En execution de la Directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 juillet 1992 portant transposition de cette directive en droit français,

In application of the Directive ref. 89/686/EEC of 21st December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of the 29th July 1992 concerning the transposition of the Directive into French law,

CTC

habilité par arrêté du Ministère du Travail, de l'Emploi et de la Santé en date du 20 décembre 2010, authorized by decree of the Ministry of Work, Employment and Health of December 20th, 2010,

identifié sous le numéro 0075, publié au JOCE, attribue :

identified by the number 0075, published in the Official Journal of the European Community, delivers:

L'ATTESTATION D'EXAMEN CE DE TYPE

CE TYPE EXAMINATION CERTIFICATE

N°0075/797/161/04/12/0262 EXT 29/09/12

Au modèle d'équipement de protection individuelle suivant :

to the following model of personal protective equipment:

- chaussure de sécurité à usage professionnel, safety footwear for professional use,
- référence et nom du modèle : 6246157- BACOU PEAK AMG S3 CI SRC reference and name:
- responsable de la mise sur le marché : applicant of the CE type examination certificate:

HONEYWELL SAFETY PRODUCTS EUROPE
ZI PARIS NORD II
33 Rue des Vanesses
BP 55287 Villepinte
95958 ROISSY CHARLES DE GAULLE
FRANCE

La description du modèle de chaussure de sécurité, les références des règles techniques vérifiées dans le cadre de l'examen CE de type ainsi que les marquages apposés sur les chaussures sont précisés en pages 2, 3 et 4 de cette attestation.

Description of the safety footwear model, reference of essential requirements or technical rules verified in the context of the CE type approval examination, information indicated on the product, are detailed on pages numbered 2, 3 and 4 of this CE type approval certificate.

Etablie par: Nadine PIPAZ

Issued by:

ttestation d'examen CE de type doit être portée à la

Fait à Lyon, le 5 septembre 2012 Drawn up in Lyon, on september 5th, 2012

NOTA: Toute modification apportée au matériel neuf, objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R 4313-38 du Code du Travail ainsi que toute modification des informations contenues dans le dossier technique sur la base duquel l'attestation CE de type a été délivrée (changement de lieu, changement de raison sociale du fabricant, retrait de certificat d'assurance qualité...).

Any modification to new items of the personal protective equipment object of this CE type examination certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

Cette attestation comporte 4 pages numérotées 1/4, 2/4, 3/4 et 4/4

This certificate contains 4 pages numbered in the following way 1/4, 2/4, 3/4 and 4/4

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél.: +33 (0)4 72 76 10 10 - Fax: +33 (0)4 72 76 10 00 - E-mail: ctclyon@ctcgroupe.com







Attestation d'examen CE de type CE type examination certificate N° 0075/797/161/04/12/0262 EXT 29/09/12

05/09/2012

1. DESCRIPTION DE LA CHAUSSURE DE SECURITE

Description of the safety footwear

suivant le dossier technique du modèle 6246157- BACOU PEAK AMG S3 CI SRC de août 2012

according to the technical file of the model 6246157- BACOU PEAK AMG S3 CI SRC dated August 2012.

- chaussure de sécurité à usage professionnel, safety footwear for professional use
- conçue suivant la norme EN ISO 20345:2011 designed in accordance to the standard EN ISO 20345:2011
- style: B: brodequin classification I (chaussure en cuir et autres matières) design: B: ankle boot classification I (leather and other materials)
- gamme de pointures : du 35 à 49 range of sizes: from 35 to 49
- mode de fabrication : injecté PU construction: PU injected
- la description visuelle du modèle est reprise ci-dessous : sketches, and/or photographs of the model are reported below:







3/4

05/09/2012

2. NIVEAUX DE PROTECTION OFFERTS

Levels and classes of protection

La conformité aux exigences essentielles de la directive 89/686/CEE a été vérifiée en utilisant les règles techniques suivantes :

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

Norme européenne harmonisée EN ISO 20344:2011 "Equipement de protection individuelle – méthodes d'essai pour les chaussures",
 European standard EN ISO 20344:2011, "Personal protective equipment – test methods for footwear"

Norme européenne harmonisée EN ISO 20345:2011 "Equipement de protection individuelle – chaussures de sécurité",

European standard EN ISO 20345:2011 "Personal protective equipment - safety footwear"

 A la date de cette attestation le produit est conforme à l'annexe XVII du règlement européen REACh (552/2009/CE et révisions associées).

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

La chaussure de sécurité référence 6246157- BACOU PEAK AMG S3 CI SRC, a été concue pour satisfaire :

The safety footwear reference 6246157- BACOU PEAK AMG S3 CI SRC was designed, to meet the following requirements:

 les exigences fondamentales spécifiées dans les tableaux 2 et 3 de la norme EN ISO 20345:2011.

Basic requirements listed in the tables 2 and 3 of the European standard EN ISO 20345:2011

 l'exigence de la norme EN ISO 20345:2011 relative à la résistance au glissement sur carreaux céramiques recouverts d'une solution de Sodium Lauryl Sulfate et sur sol acier recouvert de glycérol (SRC).

Requirement of the standard EN ISO 20345:2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC).

3. les exigences additionnelles, mentionnées ci-dessous, extraites du tableau 18 de la norme EN ISO 20345:2011.

Additional requirements, listed below, from table 18 of the European standard EN ISO 20345:2011

- arrière fermé,

closed seat region

- chaussures antistatiques,

antistatic properties

- capacité d'absorption d'énergie du talon,

energy absorption of seat region

- résistance aux hydrocarbures,

resistance to fuel oil

- résistance à la perforation,

penetration resistance

- pénétration et absorption d'eau de la tige

water penetration and water absorption

- isolation du semelage contre le froid

Cold isulation

- semelle à crampons

cleated outsole



Attestation d'examen CE de type CE type examination certificate N° 0075/797/161/04/12/0262 EXT 29/09/12

Les références des procès-verbaux des essais de vérification de la satisfaction des règles techniques applicables, par ce modèle de chaussures de sécurité, sont les suivantes :

4/4

References of reports containing the satisfactory results of the laboratory tests, performed in order to verify the levels and classes of protection of this safety footwear model, are given hereunder:

CTC 0811-12481/1	CTC 1110-13486/1	CTC 1202-2115/1
CTC 0901-373/1	CTC 1112-16543/1	CTC 1202-2256/1
CTC 1001-874/1	CTC 1112-17501/2	CTC 1203-3351/1
CTC 1011-14269/1	CTC 1201-082/1	CTC 1203-3353/1
CTC 1102-1588/1	CTC 1201-085/3	CTC 1203-3606/1
CTC 1102-2253/1	CTC 1201-087/1	CTC 1203-3608/1
CTC 1103-3879/1	CTC 1201-535/1	CTC 1203-4050/1
CTC 1105-7377/1	CTC 1202-1657/1	ITC 412601307/1
CTC 1106-8244/1	CTC 1202-1727/1	ITC 412601084
CTC 1107-9715/1	CTC 1202-1730/1	AITEX 2005 AN 2562

3. MARQUAGES SUR LE PRODUIT

Marking on the product

Chaque pied de la chaussure de sécurité est marqué de manière visible, lisible et indélébile de la façon suivante :

Each foot of the safety footwear is clearly and permanently marked with as following:

- Marque d'identification : HONEYWELL logo – commercial brand
- Marquage (€
 (€ marking
- Référence : 6246157

Reference:

- Pointure
- Mois et année de fabrication month and year of manufacture
- Symboles normatifs: EN ISO 20345:2011 et S3 CI SRC standards symbols



Honeywell

E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community: Honeywell Safety Europe

<u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: BACOU PEAK AMG S3 CI SRC

Reference: 6246157

Standard(s): EN ISO 20345:2011

This PPE is the object of the below EC examination certificate n°:

0075/797/161/04/12/0262 ext 29/09/12

Delivered by:

Drawn up in Roissy, on the 29/03/2013

By: Ailsa Lhopital **Division**: Footwear

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com