

PRODUCT NUMBER: RGT880DC
RESISTEX LIGHT GRIP FL

Overview	<div><div>Reference Number</div><div>RGT880DC</div></div> <div><div>Product Type</div><div>Gloves</div></div> <div><div>Range</div><div>generalpurpose</div></div> <div><div>Line</div><div>Precision work</div></div> <div><div>Brand</div><div>Honeywell</div></div> <div><div>Industry</div><div><div><div>Automotive and Part Manufacturer</div><div>General Industry</div><div>Logistics</div><div>Maintenance</div><div>Transportation</div></div></div></div> <div><div>Product Use</div><div>Light handlings of fine and abrasive parts.</div></div>
----------	--

Features & Benefits**Feature**

33% Polyamid (outside) / 66% cotton (inside) knitted glove
 Red PC dots on the palm
 2 fingers cut
 5 cm knitted wrist

Benefit**COMFORT**

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. Maximum comfort and added sturdiness are ensured.
 The cotton interior slows down perspiration and increases comfort.
 The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.
 Non pilling, the polyamide is suitable for precision work.
 2 fingers cut for a better handling of small parts.

RESISTANCE

The mix of both fibres, polyamide and cotton, ensure better abrasion and cutting resistance.
 The PVC dots ensure greater abrasion resistance and a better grip.

HYGIENE

Its white colour enhances the glove's hygiene and cleanliness properties.

Technical Description**Description**

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS :

33% Polyamid (outside) / 66% cotton (inside) knitted glove
 Red PC dots on the palm
 2 fingers cut
 5 cm knitted wrist

Product Technology

Knitted

Gauge

13

Coating Type

Cotton and polyamide

Length

250 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7 and 9

EN 388 - Mechanical Hazards Abrasion

Resistance


Abrasion resistance	1
Cutting resistance	1
Tear resistance	3
Puncture resistance	X

Packaging Label

Tagging

CE HONEYWELL
RGT880DC XX
EN 420
EN 388 : 113X

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

2


Quality Assurance

ISO 9001 / 2000

EC Certificate Number

N°0075/797/162/11/06/0316 Ext 02/11/06


EC Attestation

 EC Attestation

EC Attestation Number

N°0075/797/162/11/06/0316 Ext 02/11/06

Photos & Images

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/541872d28a6e44398731951b82e65e82.jpg>

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 300 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

Honeywell

[View other region sites](#)

© 2011 Honeywell International Inc.



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: RESISTEX LIGHT GRIP FL

Reference: RGT880DC

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

N°0075/797/162/11/06/0316 Ext 02/11/06

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 29/03/2013

By: Nadine Pipaz

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 882 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com