



+ [View More](#)

PRODUCT NUMBER: RQE9675DJ

Terry Lined

Mechanical and thermal handlings in glassworks, metallurgy and foundry.

Honeywell

Overview

Reference Number

RQE9675DJ

Product Type

Gloves

Range

Thermal Protection

Line

Heat

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

Foundry Glass Industries Iron and steel industry Metal steel

Product Use

Mechanical and thermal handlings in glassworks, metallurgy and foundry.

## Features & Benefits

### Feature

100 % cotton curls glove  
Winged thumb  
Jersey lined  
15 cm curls cuff

### Benefit

#### COMFORT

5-finger glove for a better grip on hot objects and added dexterity.  
The wrist allows a hand perfectly sheathed.

#### RESISTANCE

The cotton terry knitting provides good protection against mechanical and thermal hazards up to 250°C.  
The imprisonment of air between the wrist of the curls gives better heat isolation performances.

#### SAFETY

The cuff helps to protect a large part of the forearm.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks  
In accordance with standards :  
EN 420-03 EEC Basic standards  
EN 388-03 100 % cotton curls glove  
Winged thumb  
Jersey lined  
15 cm curls cuff

### Product Technology

Cut and Sewn

### Glove/liner color

Ecru

### Length

36 cm

### Harmlessness

In conformity with European standards

### Dexterity

Class 5

### Sizes

Unique size

## EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	2
Resistance to convective heat	X

Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance	2
Tear resistance	2
Puncture resistance	1

### Packaging Label

**Tagging**

CE SPERIAN  
RQE9675DJ XX  
EN 420  
EN 388 : 1221  
EN 407 : X2XXXX

Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/08/08/0314

**EC Attestation**


 EC Attestation

**EC Attestation Number**

0075/797/162/08/08/0314


Photos & Images

We're sorry, there are no images available at this time.



**User Manual**  
UI 102

**User Information Sheet**  
106



**Storage Information**  
Minimum packaging 6 pairs.  
Cartons of 60 pairs.

**Care Instructions**  
In order to keep its properties, this article should not be cleaned.