PU800

DESCRIPTION

- Industrial protective glove.
- ٠ PU supported glove.
- 5 sizes available: 6, 7, 8, 9 and 10. •
- Trade unit: 12 pairs, 180 pairs in a transit case.

CHARACTERISTICS

- Seamless Polyethylene High Tenacity / Polyester knitted liner, gauge 13.
- Palm fit gray PU coating.
- · Fine and stretchable stitchesfor excellent comfort.
- · Latex knit wrist to ensure snug fit.

PERFORMANCES

- · High flexibility and dexterity for an optimum comfort in use.
- Excellent abrasion and blade cuts resistance.
- Excellent adaptability owing to its extensibility. •
- In compliance with the standards EN420 • (General requirements) and EN388 (Mechanical Hazards) by CTC, Centre Technique du Cuir Chaussure Maroquinerie, Lyon.

APPLICATIONS

- · For fine tactile handling needing a very good protection against cuts.
- Applications : sharp components handling, fitting and assembling works, quality control, automotive industry and glass industry.

LIMITATIONS

- Do not use for handling liquids or pointed objects. •
- Do not use with a rotating machine in which glove • may get caught.
- Limited protection at the wrist.



This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21rst, 1989 relative to personal protective equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests.





EN 420

5 Dexterity EN 388 4 Abrasion

- 3 Cut
- 4 Tear 2 Puncture

Order codes Sizes 6 (XS) 7 (S) 8 (M) 9 (L) 10 (XL) PU800 1872E05000 1872E01000 1872E02000 1872E03000 1872E04000





•

N° MI/TDS/PU800EN/FT/12 - 04/11

www.marigold-industrial.com