

Colortext Plus Grip 2F

DESCRIPTION

- Industrial protective glove.
- Blue glove knitted with natural and synthetic fibres reinforced with non-slip coating on both sides.
- 4 sizes available : 7, 8, 9 and 10.
- Trade unit: 12 pairs, 144 pairs in a transit case.

CHARACTERISTICS

- Glove knitted with a seamless non-stop process.
- Nylon and synthetic textured yarns on the outside of glove and cotton yarn on the inside of glove (contact with hand), Techcor® Knitting Technology.
- Non-slip nitrile coating on palm and fingers, on both sides of the glove.
- Latex knit wrist to ensure snug fit.

PERFORMANCES

- Good mechanical resistance to abrasion and small cuts due to nitrile reinforcement.
- Excellent dexterity due to fine knitting.
- Excellent comfort.
- In compliance with the standards EN 420 (General requirements for protective gloves), EN 388 (Protective gloves against mechanical risks) and EN 407 (Protective gloves against heat and/or fire) by the notified laboratory INSPEC.

APPLICATIONS

- For all types of handling requiring general mechanical and/or thermal protection for hands.

LIMITATIONS

- Do not use with a rotating machine in which glove may get caught.



This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21st, 1989 relative to personal protective equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests.



EN420

FN 420

5 Dexterity



3341

EN 388

EN 388
Mechanical hazards



X1XXXX

FN 407

Heat and fire

EN 388

3 Abrasion

3 Cut

4 Tear

1 Puncture

EN 407

X Burning behaviour

1 Contact heat

- ✗ Convective heat

- X** Radiant heat

- X Small drops molten metal

- X Large drops molten metal**

Order codes	
Sizes	Order codes
7 (S)	8 (M)
9 (L)	10 (XL)
Colortext Plus Grip 2F	TX20A7N2C
	TX20A8N2C
	TX20A9N2C
	TX20A0N2C



Marigold[®]
Industrial

