



PRODUCT NUMBER: 1005952
Percap Banded Earplugs

SNR 24H - 27 M - 20 L - 18

[Learn more about our products at howardleight.com](https://www.howardleight.com)

>



Overview

Reference Number

1005952

Product Type

Hearing Protection

Range

Earplugs

Line

Banded Earplugs

Brand

Howard Leight by Honeywell

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use

Banded Earplug, Foldable

Features & Benefits

Feature

Semi-aural protection, super soft pods rest outside the ear canal opening. Multiple position wear: over-the-head, under-the-chin or behind-the-neck provides flexibility in wear. Compact, folding design easy to store in pocket. Ideal for workers who are exposed to intermittent noise.

Benefit

For workers who are exposed to intermittent or low levels of noise, Howard Leight's PerCap banded earplugs offer an

alternative to earplugs and earmuffs. From its compact design to semi-aural protection, PerCap offers reliable protection from noise with ear pods that rest outside of the ear canal opening. PerCap can be worn in three positions and folds down for pocket-sized storage, ideal for supervisors and other workers who are in and out of noisy areas, and need easy access to hearing protection

Technical Description

Attenuation Data

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	21.4	22.5	21.5	19.0	22.6	30.3	35.7	38.8
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	4.8	3.5	3.6	2.9	2.7	3.1	4.2	4.3
Assumed Protection (dB) Angenommener (dB) Protection supposé (dB)	16.6	19.0	17.9	16.1	19.9	27.2	31.5	34.5

Size

Fits All

Shape

oval pad

Corded

No

Design Patents

Folding Banded Earplug

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

961088

EC Attestation

EC Attestation

EC Attestation Number

200422744

Additional Information

User Manual

Instruction Manual - PerCap (global)

Maintenance

Life Cycle

These earplug pods must be disposed of and replaced after each wearing.

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Parts & Accessories

Accessories

Replacement pods - Ref. # 1005980

Packaging

EAN Code

17312550059521