

## HYPALON SA Boots



Colors

Grey



ATS sole (registered design)



Anti-perforation + Safety toe cap

Polymer toe cap\*

Composite anti-perforation mid-sole\*

Outside height for size 8: 370 mm

Weight for size 8: 2200g / pair

Elastomer: CSM (Hypalon \*\*)

\*\* DuPont Performance Elastomer patented

## Reference: HYPALON SA Boots (safety toe cap + anti-perforation mid-sole)

Excellent resistance to corrosive chemicals, particularly to concentrated and hot acids, fuels and solvents.

Excellent resistance to abrasion and cuts.

For use with protective clothing in hostile environments.

## Comply with standards :

EN ISO 20345 S5 HRO CR SRC

- Heel energy absorption.
- Antistatic.
- Contact heat resistance (HRO)
- Cut resistance (CR)

EN 13832-3 B L M N

Boots highly resistant to chemicals :

- Acetone (B)
- Sulfuric acid (L)
- Nitric acid (M)
- Acetic acid (N)

EN 13287

Sole slip resistance (SRC) :

- Ceramic floor.
- Steel floor.

\* made of steel for sizes 3 and 4,5.

## Sizes

FR	36	37/38	39	40/41	42	43	44	45	46/47	48	49/50
UK	3	4.5	5.5	7	8	9	9 ½	10 ½	11 ½	13	14

*Please contact us for sizes 3 and 4.5 certificate.*



[www.etchesecurite.com](http://www.etchesecurite.com) | ZA Ordokia - 64130 VIODOS - ABENSE de BAS - FRANCE | +33

(0)5 59 28 05 41