Honeywell | Safety Products 575 United Kingdom



Product Family ABRATEX Knitted gloves in polyamide & cotton. Cut resistant (level 2 to EN 388).

Honeywell

Q

ABRATEX

	Product Numbers	Details
fu fu	RGT088	ABRATEX LIGHT Polyamide plated cotton lightweight knitted. (Sizes 6 to 10)
	RGT888	ABRATEX LIGHT GRIP Polyamide plated cotton lightweight knitted. Black PVC dots on palm. (Sizes 6 to 11)
1E	2233030	ABRATEX. Polyamide plated cotton mediumweight knitted. (Sizes 7 to 10)
W VE	2233025	ABRATEX GRIP Polyamide plated cotton mediumweight knitted. Blue PVC dots on palm (Sizes 6 to 10)
=	RGT898V	ABRATEX HEAVY GRIP Polyamide plated cotton heavyweight knitted. Green color. Red PVC dots on palm. (Sizes 7, 9)

Additional Information

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

Packaging Information

boxes of 10 pairs. Cartons of 100 pairs.

Overview

Key Features

The Abratex line features lightweight and heavyweight knitted polyamide and cotton gloves. Version with PVC dots or without.

COMFORT

The knitting technique gives the glove perfect support, limits the penetration of dirt and offers a good touch. The cotton interior slows down perspiration and increases comfort.

RESISTANCE

The mix of both fibres, polyamide and cotton, ensure better abrasion and cutting resistance.

HYGIENE

The white colour enhances the gloves' hygiene and cleanliness properties. Green version for dirty applications.

Recommended Industries/Use

Manufacturing
Steel and Metals
Transportation
Wind Energy

Hazards

Abrasion
Extreme Environment
Slip

Regulations

- EN 420-2003 General requirements
- EN 388-2003 Mechanical risks

Historical Brand

Riby

ABRATEX

Warranty Information

Honeywell Safety Products warrants that it's Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenence, use or misuse of the product.

Specifications

Materials

· Polyamide and cotton

Gauge

• Heavy (7), Medium (10) and light (13)

Coating

• PVC dots on some models

Maintenance / cleaning

• This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products

Storage information

• Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

Training & Proper Use

Do not use these products against thermal or chemical risks.

Additional Information

User instructions nº 102.

Technical Support

UK: uksales@honeywell.com

Export: info-export.hsp@honeywell.com France: info-france.hsp@honeywell.com Germany: info-germany.hsp@honeywell.com Italy: info-italia.hsp@honeywell.com Spain: info-spain.hsp@honeywell.com Nordics: info-nordic.hsp@honeywell.com Benelux: info-benelux.hsp@honeywell.com Poland: info-poland.hsp@honeywell.com Hungary: info-hungary.hsp@honeywell.com Russia: info-russia.hsp@honeywell.com

© Honeywell International Inc.