

**Product Datasheet uvex xenova nrj 6922.1-.3 S3 SRC****UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth**

<b>Product information</b>	<ul style="list-style-type: none"><li>• Metal-free</li><li>• Very light weight</li><li>• uvex climazone with highly breathable lining and outer materials</li><li>• Leather upper</li><li>• Breathable textile lining</li><li>• Wide sports fit</li><li>• uvex xenova® duo toe cap with duo component technology, thermally insulated</li><li>• uvex topshield scuffcap to protect the upper and extend its life</li><li>• Loop lacing system</li><li>• uvex anti-twist heel cap for greater stability and protection from ankle twisting</li><li>• Soft padded collar</li><li>• Flexible, penetration-resistant uvex xenova® midsole exactly matching the width of the insole, does not conduct the cold</li><li>• uvex 3D hydroflex® foam insole for exceptional shock absorption in the heel and under the forefoot</li><li>• Soft padded dust tongue</li><li>• Comfortable removable insole, antistatic, with a moisture control system</li><li>• Fulfills ESD requirements: resistance to ground &lt; 35 megohm</li></ul>
<b>Outsole</b>	<ul style="list-style-type: none"><li>• PUR outsole</li><li>• Ergonomically designed tread</li></ul>

	<ul style="list-style-type: none"><li>• Extremely flexible, excellent shock absorption</li><li>• Unique PUR outsole system makes the shoe ultra-light</li><li>• Two-layer system with abrasion-resistant and cut-resistant outsole</li><li>• Noticeably improved slip resistance</li><li>• Self-cleaning tread, non-marking</li><li>• Oil- and petrol-resistant</li><li>• Free of lacquer wetting inhibitors such as silicones, phthalates, etc.</li><li>• Withstands brief exposure to heat approx.. +120°C</li></ul>																
Technical data	<table><tr><td>Art.-no.</td><td>6922.1</td><td>.2</td><td>.3</td></tr><tr><td>Width</td><td>10</td><td>11</td><td>12</td></tr><tr><td>Standard</td><td colspan="3">EN ISO 20345:2011 S3 SRC</td></tr><tr><td>Size</td><td colspan="3">35 – 50</td></tr></table>	Art.-no.	6922.1	.2	.3	Width	10	11	12	Standard	EN ISO 20345:2011 S3 SRC			Size	35 – 50		
Art.-no.	6922.1	.2	.3														
Width	10	11	12														
Standard	EN ISO 20345:2011 S3 SRC																
Size	35 – 50																
Accessories	<p><i>ultra comfortable uvex 3D hydroflex® foam climatic insole</i> (article no.: 9595.6, width 11)</p> <ul style="list-style-type: none"><li>• Additional shock-absorbing elements in the heel and under the front of the foot ensure comfort in high-pressure zones and provide the foot with “full-surface” shock absorption</li><li>• Ultra breathable and moisture-absorbing materials</li><li>• Shock absorption zones that assist natural movement</li><li>• Non-irritating, comfortable surface structure</li><li>• Antistatic system</li><li>• Supports the foot arch</li></ul> <p><i>ultra comfortable uvex hydroflex® GELclimatic insole</i> (article no.: 9595.7, width 10; 9595.9, width 12)</p> <ul style="list-style-type: none"><li>• Very high capacity to absorb and wick moisture away ensures a balanced shoe climate</li><li>• Visible uvex hydroflex® GEL for even more effective shock absorption</li><li>• Placement of shock absorption system directly beneath the heel</li><li>• Antistatic system</li><li>• Supports the foot arch</li></ul> <p><i>Laces</i></p> <ul style="list-style-type: none"><li>• black/white (article no.: 9599.2 95)</li></ul>																