

Product Datasheet model 9130 305**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	* Comfortable safety spectacle with outstanding fit * Integrated brow guards provide additional protection against particles from overhead * Individually adjustable temples with integrated side shields * uvex duo-flex cushions ensure optimal wearing comfort * Easy lens replacement
Technical details	
Frame	Front piece
Material	CP
Colour	transparent grey
	Side piece
Material	PC
Features	4 positions length adjustability
Colour	transparent grey

Material	Temple
Features	PBT+PC/TPU
Colour	duo-flex temple
	grey/violet
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Tested acc. to DIN	DIN
Conformity symbol	CE
No. of certificat. body	0196
Lens	
Material	PC
Thickness	2,0 mm
Coating	uvex supravision sapphire
Colour	clear
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Surface resistance to fine particles	K
Miscellaneous	
Weight	34 g
Packing	5 spectacles per box
	200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170

