

SAFETY EYEWEAR

21.09.2015 SBU-E-PGM-PM

Product Datasheet model pheos 9192 225



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product	* Modern fashion-look
characteristics	* Duo spherical lens provides excellent all round vision
	* Eye plus-protection protects the eyebrows through an additional chamfer at the upper range
	* A slim temple geometry enables a
	comfortable wearing of earmuffs, helmets and caps
	* Outstanding ventilation ensures a well eye climate
	* Temple ends with non-slip components
Technical details	
Frame	
	Front piece/Temple
Material	POM/TPE
Features	excellent ventilation
Colour	black-green

TD-AU-9192 225 Rev. St. 3 Datum: 21.09.15 Seite 1 von 2

Marking

Manufacturer's ID code Applicable EN norm

Low-energy impact

Conformity symbol

166

F (45 m/s)

CE

W

Lens

PC Material

Thickness 2,1 mm

Coating supravison excellence

Colour clear

Marking

2C-1,2 (DIN EN 170) **Filter**

Manufacturer's ID code Optical class

Low-energy impact Surface resistance to

fine particles

Antifog

Conformity symbol

W 1

F (45 m/s)

K

Ν CE

Miscellaneous

Weight 30 g

Packing 5 spectacles per box

160 spectacles per cardboard box

Standards **DIN EN 166 + DIN EN 170**

Datum: 21.09.15 TD-AU-9192 225 Rev. St. 3 Seite 2 von 2