HyFlex® 11-625 11-627 11-628

MECHANICAL PROTECTION

CUT PROTECTION

M MEDIUM

STYLE #	CONSTRUC- Tion	GAUGE	LINER MATERIAL	COATING MATERIAL	FINISHING	CUFF STYLE	COLOUR	EN SIZE	LENGTH MM	PACKAGING
11-625	Knitted	15	Spandex Dyneema®	Polyurethane	Palm coated	Knitwrist	White	6, 7, 8, 9, 10, 11	210 - 255	12 pairs in a bag, 12 bags in a carton
11-627	Knitted	15	Lycra® Nylon Dyneema®	Polyurethane	Palm coated	Knitwrist	Grey	6, 7, 8, 9, 10, 11	210 - 270	12 pairs in a bag, 12 bags in a carton
11-628	Knitted	15	Nylon Lycra® Dyneema®	Polyurethane	Palm coated	Long knitwrist	Grey	6, 7, 8, 9, 10, 11	270 - 320	12 pairs in a bag, 12 bags in a carton





Dexterity with superb cut resistance for optimal productivity

PRIMARY INDUSTRIES



IDEAL APPLICATIONS

- Glass manufacturing
- Aeronautics
- Assembly of white goods
- Plastics injection and moulding
- Assembling metal parts and components
- Handling of sharp-edged objects, preassembling, cutting of small dry or lightly oiled parts and maintenance.
- Finishing works



DESCRIPTION

- The HyFlex® 11-625, 11-627 and 11-628 gloves deliver a perfect
- balance of comfort and sure handling with superior cut resistance.
 The liners have an innovative yarn structure that contains an optimal rate of Dyneema®. This offers high levels of cut resistance, for a safe use in controlling, handling and assembly applications involving contacts with sharp pieces.
- The Lycra® in the liners of both gloves, as well as the polyurethane coating, provides excellent flexibility and fit.
- The three models are designed for use in dry, as well as slightly oily environments.

REMARKS

• 11-625 & 11-627: Fit for special purpose

FEATURED TECHNOLOGY

Dyneema®





Print date: 02-09-2016

Ansell Healthcare Europe N.V. (European Head Office)

Riverside Business Park, Block J Boulevard International 55, 1070 Brussels, Belgium Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03 http://www.ansell.eu • E-mail info@ansell.eu

