

# 330 Re-Grip



## Polyester/cotton knit Natural latex coating

### DESCRIPTION

- Coated palm, reinforced coating at thumb crotch
- Elasticated cuff
- Rough finish over entire surface
- Antibacterial and anti-odour treatment
- Anatomical shape
- Seamless knit

### BENEFITS

- A flexible, soft glove that absorbs perspiration, for ultra comfortable extended wear and with good mechanical resistance.
- Protects the hand in damp environments or against aggressive detergents or alcohols
- Increased resistance in areas subject to most stress
- Surface provides tactile feel and better grip
- Greater hygiene
- Designed for easy movement and continuous wear
- No irritation by seams in contact with the skin
- Low-soil colour

### RECOMMENDED FOR THESE RISKS:

Tears

Heavy perspiration

### RECOMMENDED FOR THESE LINES OF WORK:

Construction / Roofing

Construction / Exterior work

Metallurgical industry

### AVAILABLE SIZES

7/S • 8/M • 9/L • 10/XL

### LENGTH

Dependent on size, in mm (flat)

230-270

### PACKAGING

Pairs per pack/box


10/120

### COLOUR OF SUPPORT/COATING

Grey/black

### RECOMMENDATIONS FOR USE

- May cause latex allergies
- Do not use in cases of chemical, electrical or thermal risk
- Highly traction resistant gloves, do not use if there is risk of being caught up in moving machines
- Store away from light and humidity
- Wash at 40
- Performance levels as per standard EN388 retained after 3 washes, subject to variations linked to actual usage conditions.



EC compliance certificate delivered by the notified body 0072  
IFTH - Institut Fran

[ Updated 13/10/11 ]

### SHOWA BEST GLOVE

Tour Franklin, La D

Tel. +33 (0)1 55 62 14 20 - Fax +33 (0)1 55 62 14 29

info@showabestglove.eu - www.showabestglove.eu

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

**SHOWA**   
The Ultimate in Comfort and Dexterity