

WIND MID S3S ESD CI SR FO

SAFETY SHOES


544401


✓ ✓ – –

DESCRIPTION

- High safety shoes such as tennis shoes.
- Water-repellent and breathable technical microfiber upper.
- Lined quilted upper.
- Gusseted closure and quilted canvas tab. Lacing with eyelets.
- Breathable honeycomb lining.
- Ventilated ergonomic sockliner.
- Lightweight 200 joule aluminum safety toe.
- Composite anti-perforation sole for small toe (Small), light, flexible, athermal and non-magnetic.
- Ultra-light PU2D oil-resistant and non-slip semeling.

USE

- High sport safety shoes ideal for the transport & logistics sectors, carpenters, craftsmen, warehouse workers and ESD environments

BENEFITS

- Lightweight shoes
- Soft and comfortable

SIZE

35 -> 48

WEIGHT

Size 42: 1.065 kg

VARIANTS

REPLACED MODEL



544400

WIND MID S3S ESD CI SR FO

SAFETY SHOES

update : 04/2025

STANDARDISATION

Compliance with the essential safety requirements has been verified using the following harmonised standards:

EN ISO 20345:2022

S3S

S3S: Closed back - Antistatic properties.
 Energy absorption from the heel. Resistance to water penetration and water absorption.
 Studded sole.
 Anti-puncture midsole up to 1100 N with a small tip, 3 mm in diameter.

CI



CI: Insulation of the sole against the cold

SR



SR: Slip-resistant rubber outsole (SR)

FO



FO: Hydrocarbon resistant sole



ESD: Model suitable for ESD environments



PACKAGING

Pair packaged in a kraft box made from 70% recycled materials.



x1



x5 or x10

ADDITIONAL PRODUCTS



The existence of an assessed CSR approach by the manufacturer, certified by an independent body.



Obtaining a label for the product OR ISO 14001 certification for the manufacturing site.



The place of manufacture of the product located within a radius of 2000 km of France AND Country ranked in the Top 30 of the IPE 2022.



At least 15% of the product is made from recycled or bio-sourced materials.

Groupe RG

817 rue Nicéphore Niépce, 69800 Saint Priest
 +32 (4) 72 23 24 30 Internet : www.groupe-rg.com