

LIVERPOOL 3 S3 HI CI SR FO

SAFETY SHOES



Groupe RG 817 rue Nicéphore Niépce, 69800 Saint Priest +32 (4) 72 23 24 30 Internet : www.groupe-rg.com



LIVERPOOL 3 S3 HI CI SR FO

SAFETY SHOES

STANDARDISATION

Compliance with the essential safety requirements has been verified using the following harmonised standards:

EN ISO 20345:2022 + A1:2024

S3

S3: Closed back - Anti-static properties. Energy absorption from the heel. Resistance to water penetration and water absorption. Studded sole. Spacer protects against the risk of punctures up to 1100 N.



SR: Slip-resistant rubber outsole (SR)



HI: Heat insulation of the sole



```
CI: Insulation of the sole against the cold
```

FO

FO: Hydrocarbon resistant sole



pdate : 06/2025

SLIP RESISTANCE

Additional requirement SR: Ceramic floor/glycerine Coefficient of friction/heel: 0.30 (≥0.19). Front: 0.31 (≥0.22)

PACKAGING

Pair packaged in a kraft box made from 70% recycled materials.



x5 or x10

ADDITIONAL PRODUCTS





The existence of an assessed CSR approach by the manufacturer, certified by an independent body.



Obtaining a label for the product OR ISO 14001 certification for the manufacturing site.

The place of manufacture of the product located within a radius of 2000 km of France AND Country ranked in the Top 30 of the IPE 2022.



At least 15% of the product is made from recycled or bio-sourced materials.

Groupe RG 817 rue Nicéphore Niépce, 69800 Saint Priest +32 (4) 72 23 24 30 Internet : www.groupe-rg.com