



+ [View More](#)

PRODUCT NUMBER: 6246103
BACOU SMILO S3 HI CI SRC

Water-resistant, full grain leather upper. PU2D outsole injected. SRC certified. 200J Spacium™ toe cap in injected polymer. Stainless steel anti-puncture sole. Complies with EN ISO 20345:2011 standard

Overview	<div><div>Reference Number</div><div>6246103</div></div> <div><div>Product Type</div><div>Footwear</div></div> <div><div>Range</div><div>bacouoriginal</div></div> <div><div>Line</div><div>n/a</div></div> <div><div>Brand</div><div>Honeywell</div></div> <div><div>Brand formerly known as</div><div>BACOU</div></div> <div><div>Industry</div><div><div><div>Administration</div><div>Building and Construction</div><div>General Industry</div><div>Industrial Cleaning</div><div>Logistics</div><div>Maintenance</div><div>Services</div><div>Transportation</div><div>Utilities</div></div></div></div> <div><div>Product Use</div><div><div><div>Safety shoes for professional use. The Bacou Smilo S3 HI CI SRC footwear is a combination of black leather with touches of colour on the uppers and 3D lining. The model perfectly fits the needs of industry and construction for finishing work.</div></div></div></div>
----------	---

Features & Benefits

Feature

EN ISO 20345:2011 certified. SRC certified.

Benefit

Ensures better protection.

Feature

Water-resistant full grain leather upper

Benefit

Great resistance and flexibility

Feature

Reinforced protection over the toe cap

Benefit

Improved resistance and safety

Feature

Anti-bacterial lining with 3D structure

Benefit

Ultra-breathable, quick drying

Feature

Padded ankle collar and tongue

Benefit

Adapts to the user's foot shape, ensures comfort when worn for long periods

Feature

Lateral watertight bellows

Benefit

Prevents liquid and dust from entering footwear

Feature

Excellent foot insulation from heat (HI) and cold (CI)

Benefit

Response to diverse environments (frozen ground, very high temperatures)

Technical Description

Sizes

EU: 35 - 49 / UK: 3 - 13,5

Table Size

table_size_2749_id_2576

Midsole

Stainless steel: efficient technology covering the most extensive panel of risks. Puncture

resistance: over 1100 N with a spike of 4.5 mm.

Upper

Water-resistant full grain leather upper. Padded ankle collar and tongue. Lateral watertight bellows. Anti-bacterial lining with 3D structure. Textile panels.

Toe Cap

200J SPACIUM™ toe cap in injected polymer. Non-metallic: 50% lighter than steel. Extra-wide for greater comfort: suits all foot types. Non magnetic. Thermal insulator. Unalterable.

Insole

Dual density PU foam for intensive use. Removeable for easy care. Antibacterial for a longer life span and to prevent odour. Antistatic for optimal efficiency. Comfortable heel pads. Evacuation channels.

Outsole

Dual density polyurethane: PU 2D. Comfort layer of density: 0.5 (guarantees lightness and flexibility, ensures shock absorption and protects against changes in temperature). Outsole layer of density: 1 (resistance to abrasion, fuel oil and grease). High slip resistance due to well defined cleat design, wide, deep and self-cleaning. SRC certified: SRA: on ceramic plates: flat 0,45 (minimum standard: 0,32) heel 0,46 (minimum standard: 0,28) / SRB: on steel floor: flat 0,24 (minimum standard: 0,18) heel 0.24 (minimum standard: 0.13). Energy absorption capacity > 20 joules. Excellent resistance to abrasion: volume loss < 150 mm³ (with a load of 10 N = 1 kg). Extension before tearing: 650%. Optimised resistance to repeated flexing > 60,000 (standard >30,000). Resistant to acids and alkalis: limited to low concentrations.

Additional Features

- CI
- HI
- SRC

Certifications

E.C. Declaration of Conformity


EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Attestation

 6246103-Attestation BACOU SMILO S3 HI CI SRC

EC Attestation Number

0075/797/161/04/12/0262 ext 01/04/12

REACH

EU Regulation 1907/2006 (REACH) Compliance

The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.

Product Reference Sold in Europe

Substance > 0.1%

Substance Name

CAS Number


No Substance Content

Photos & Images

We're sorry, there are no images available at this time.

Additional Information

User Manual

 User Instruction EN ISO 20345 2011-Footwear-Honeywell-032012

Maintenance

Life Cycle

- We advise that the footwear should be used in the limit of 3 years following the manufacturing date, which figures on the footwear.
- After this time limit, certain factors such as: exposure to sunlight, hydrometry, temperature changes, could cause a modification in the structure of the material, which would no longer maintain the same performance levels with regards to the requirements defined in the European Directive 89.686 CEE.

Storage Information

- Footwear should be stored in their original packaging, kept in a controlled stock area, not subject to rapid changes in temperature or humidity levels.

Care Instructions

- After use leave your footwear to dry in an aired place away from heat. Remove any excess dust or dirt with a brush. Remove any marks using a damp cloth and soap if necessary.
- Finally polish any grain or pigmented leathers using a commercially available shoe care product.

Honeywell

[View other region sites](#)

© 2011 Honeywell International Inc.



En exécution de la Directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 juillet 1992 portant transposition de cette directive en droit français,

In application of the Directive ref. 89/686/EEC of 21st December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of the 29th July 1992 concerning the transposition of the Directive into French law,

CTC

habilité par arrêté du Ministère du Travail, de l'Emploi et de la Santé du 20 décembre 2010,
authorized by decree of the Ministry of Work, Employment and Health of December 20th, 2010,

identifié sous le numéro 0075, publié au JOCE, attribue :

identified by the number 0075, published in the Official Journal of the European Community, delivers:

L'ATTESTATION D'EXAMEN CE DE TYPE
CE TYPE EXAMINATION CERTIFICATE
N°0075/797/161/04/12/0262 – EXT 01/04/12

Au modèle d'équipement de protection individuelle suivant :

to the following model of personal protective equipment:

- **chaussure de sécurité à usage professionnel,**
safety footwear for professional use,
- **référence et nom du modèle : BACOU SMILO S3 HI CI SRC - 6246103**
reference and name:
- **responsable de la mise sur le marché :**
applicant of the CE type examination certificate:

SPERIAN PROTECTION EUROPE SAS
ZI PARIS NORD II
33 Rue des Vanesses
BP 55287 VILLEPINTE
95958 ROISSY CHARLES DE GAULLE
FRANCE

Le modèle **BACOU SMILO S3 HI CI SRC - 6246103** est une variante raccordée au modèle **BACOU SINRA S3 HI CI SRC - 6246104**.

The safety footwear model BACOU SMILO S3 HI CI SRC - 6246103 is considered as a variant of the reference model BACOU SINRA S3 HI CI SRC - 6246104.

Les niveaux de performance et de sécurité sont identiques à ceux du modèle de raccordement, ainsi que les marquages, à l'exception du code article.

Safety levels offered are the same for both the reference model and its variant, just as the markings except the article code.

Fait à Lyon, le 12 avril 2012

Drawn up in Lyon, on April 12th, 2012

Etablie par : Nadine PIPAZ

Issued by:



NOTA : Toute modification apportée au matériel neuf, objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R. 4313-38 du Code du Travail. Toute modification des informations contenues dans le dossier technique sur la base duquel l'attestation CE de type a été délivrée (changement de lieu, changement de raison sociale du fabricant, retrait de certificat d'assurance qualité, etc.) doit être portée à la connaissance de l'organisme habilité en application de l'article R. 4313-38 du Code du Travail.
Any modification to new items of the personal protective equipment object of this CE type examination certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work

Cette attestation comporte 2 pages numérotées 1/2 et 2/2.

This certificate contains 2 pages numbered in the following way 1/2 and 2/2.

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - E-mail : ctclyon@ctcgroupe.com
www.ctc.fr - www.ctcgroupe.com - www.ctc-services.org

- **Gamme de pointures : 35 au 49**

Range of sizes: 35 to 49

- **Différence avec le modèle de raccordement :**

Difference with the reference model:

- Changement de modèle : A - chaussure basse au lieu de B - brodequin

Change of design: A - low shoe instead of B - ankle boot

- **Marquages sur le produit**

Marking on the product

Chaque pied de la chaussure de sécurité est marqué sur le soufflet de manière lisible et indélébile de la façon suivante :

Each foot of the safety footwear is clearly and permanently marked with as following:

- **Marque d'identification : HONEYWELL**

logo – commercial brand

- **Marquage C €**

C € marking

- **Référence : 6246103**

reference

- **Pointure**

size

- **Mois et année de fabrication**

month and year of manufacture

- **Symboles normatifs : EN ISO 20345:2011 et S3 HI CI SRC**

standards symbols



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Sperian Protection Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: BACOU SMILO S3 HI CI SRC

Reference: 6246103

Standard(s): EN ISO 20345:2011

This PPE is the object of the below EC examination certificate n°:

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 13/05/2012

By: Ailsa Lhopital

Division: Footwear

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com