

Product Datasheet model i-works 9194.171



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth

Product characteristics	• safety spectacles with a sporty design: attractive appearance and robust quality • metal-free • uvex supravision coating technology • duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points • low profile side arms with practical hang cord attachment option • can be easily combined with other PPE • suitable for the uvex helmet IES • suitable for construction applications

Technical details	
Frame	
Material	Front piece TPU
Colour	anthracite
Temples	
Material	TPU/TPE
Colour	anthracite-blue
Marking	
Manufacturer's ID code	W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision excellence
Colour	clear
UV protection	UV 400
Marking	
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1

Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Miscellaneous	
Weight	28 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II