

Product Datasheet model astrospec 2.0 9164 065

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**

- innovative development of the world's most popular uvex astrospec spectacles
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold Design

Technical details

Frame

Material
Colour

Front piece

PC+TPU
blue

Material
Colour

Side piece

POM
grey

Material
Colour

Temple

PC+TPU/TPE
blue-light blue

Manufacturer's ID code
Applicable EN norm
Low-energy impact
Resistance to high
speed particles at
extremes of temperat.
Conformity symbol

Marking

W
166
F (45 m/s)
T

CE

Lens

Material
Thickness
Coating
Colour
UV protection

PC
2,2 mm
uvex supravision sapphire
clear
UV 400

Filter	Marking
Manufacturer's ID code	2C-1,2 (DIN EN 170)
Optical class	W
Low-energy impact	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Surface resistance to fine particles	T
Conformity symbol	K
Factory symbol	CE
	
Miscellaneous	
Weight	
Packing	37 g
Standards	5 spectacles per box
	160 spectacles per cardboard box
	DIN EN 166 + DIN EN 170
PPE Category	Category II