

Product Datasheet model ultrasonic flip-up 9302 045

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth

**Product
characteristics**

- * Panoramic lens shape allows 180° uninterrupted lateral vision
- * High degree of mechanical strength
- * High level of protection for professional welders
- * Integrated, indirect ventilation allows air movement directly across the lens
- * Flip-up filter, minimum damage from welding sparks
- * Easily replaceable lens filter
- * Easy to combine with other PPE products
- * New filter technology
- * Perfect colour recognition
- * UV and IR radiation protection
- * High-quality, easily adjustable headband

Technical details	
Frame	Front piece
Material	PP/TPE
Colour	green/black
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles) 9 (molten material and hot solids)
Impact resistance	B (120 m/s)
Tested acc. to DIN	DIN
No. of certificat. body	0196
Conformity symbol	CE
	Headband
Material	synthetic headband
Features	individually adjustable
Colour	black/green
flip-up	
Material	PC
Thickness	2,2 mm
Coating	infradur
Colour	grey
	Marking
Filter	5 (DIN EN 169)
Manufacturer's ID code	W
Optical class	1
Conformity symbol	CE

Lens	
Material	PC
Thickness	2,2 mm
Coating	supravision excellence
Colour	clear
Marking	
Filter	2-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to fine particles	K
Antifog	N
Tested acc. to DIN	DIN
Conformity symbol	CE
Miscellaneous	
Weight	126 g
Packing	4 goggles per box 72 pieces in one carton
Standards	DIN EN 166, 169, 170